

# Bijlage 11

## Literatuurlijst

### Uitgangsvraag 1

- Boorsma M, Frijters DH, Knol DL, Ribbe ME, Nijpels G, van Hout HP. Effects of multidisciplinary integrated care on quality of care in residential care facilities for elderly people: a cluster randomized trial. *CMAJ*. 2011 Aug 9;183(11):E724-32.
- Brouwers, M. C., Kho, M. E., Browman, G. P., Burgers, J. S., Cluzeau, F., Feder, G.,... & Littlejohns, P. (2010). AGREE II: advancing guideline development, reporting and evaluation in health care. *Canadian Medical Association Journal*, 182(18), E839-E842.
- Culp K, Montes J, Wakefield B. Hydration and acute confusion in long-term care residents. *West J Nurs Res*. 2003 Apr;25(3):251-66; discussion 267-73.
- Inouye SK, Bogardus ST Jr, Charpentier PA, Leo-Summers L, Acampora D, Holford TR, Cooney LM Jr. A multicomponent intervention to prevent delirium in hospitalized older patients. *N Engl J Med*. 1999 Mar 4;340(9):669-76.
- Kennisinstituut van de Federatie Medisch Specialisten. Ontwikkeling van Medisch Specialistische Richtlijnen: stappenplan. Utrecht, 2015
- Medisch Specialistische Richtlijnen 2.0 (2012). Adviescommissie Richtlijnen van de Raad Kwaliteit. <https://www.demedischspecialist.nl/publicaties/medisch-specialistische-richtlijnen-20-rapport>
- Peacock R, Hopton A, Featherstone I, Edwards J. Care home staff can detect the difference between delirium, dementia and depression. *Nurs Older People*. 2012 Feb;24(1):26-30.
- Schünemann H, Brozek J, Guyatt G, et al. GRADE handbook for grading quality of evidence and strength of recommendations. Updated October 2013. The GRADE Working Group, 2013. Available from [http://gdt.guidelinedevelopment.org/central\\_prod/\\_design/client/handbook/handbook.html](http://gdt.guidelinedevelopment.org/central_prod/_design/client/handbook/handbook.html).
- Schünemann, H. J., Oxman, A. D., Brozek, J., Glasziou, P., Jaeschke, R., Vist, G. E.,... & Bossuyt, P. (2008). Rating Quality of Evidence and Strength of Recommendations: GRADE: Grading quality of evidence and strength of recommendations for diagnostic tests and strategies. *BMJ: British Medical Journal*, 336(7653), 1106.
- Siddiqi N, Cheater F, Collinson M, Farrin A, Forster A, George D, Godfrey M, Graham E, Harrison J, Heaven A, Heudtlass P, Hulme C, Meads D, North C, Sturrock A, Young J. The PiTSTOP study: a feasibility cluster randomized trial of delirium prevention in care homes for older people. *Age Ageing*. 2016 Sep;45(5):652-61.
- Simpson M, Macias Tejada J, Driscoll A, Singh M, Klein M, Malone M. The Bundled Hospital Elder Life Program-HELP and HELP in Home Care-and Its Association With Clinical Outcomes Among Older Adults Discharged to Home Healthcare. *J Am Geriatr Soc*. 2019 Aug;67(8):1730-1736.
- Wessels, M., Hielkema, L., & van der Weijden, T. (2016). How to identify existing literature on patients' knowledge, views, and values: the development of a validated search filter. *Journal of the Medical Library Association: JMLA*, 104(4), 320.

### Uitgangsvraag 2

- Brouwers, M. C., Kho, M. E., Browman, G. P., Burgers, J. S., Cluzeau, F., Feder, G.,... & Littlejohns, P. (2010). AGREE II: advancing guideline development, reporting and evaluation in health care. *Canadian Medical Association Journal*, 182(18), E839-E842.
- Kennisinstituut van de Federatie Medisch Specialisten. Ontwikkeling van Medisch Specialistische Richtlijnen: stappenplan. Utrecht, 2015
- Medisch Specialistische Richtlijnen 2.0 (2012). Adviescommissie Richtlijnen van de Raad Kwaliteit. <https://www.demedischspecialist.nl/publicaties/medisch-specialistische-richtlijnen-20-rapport>
- Sepulveda, E., Leonard, M., Franco, J. G., Adamis, D., McCarthy, G., Dunne, C.,... & Meagher, D. J. (2017). Subsyndromal delirium compared with delirium, dementia, and subjects without delirium or dementia in

elderly general hospital admissions and nursing home residents. *Alzheimer's & Dementia: Diagnosis, Assessment & Disease Monitoring*, 7, 1-10.

Schünemann H, Brożek J, Guyatt G, et al. GRADE handbook for grading quality of evidence and strength of recommendations. Updated October 2013. The GRADE Working Group, 2013. Available from [http://gdt.guidelinedevelopment.org/central\\_prod/\\_design/client/handbook/handbook.html](http://gdt.guidelinedevelopment.org/central_prod/_design/client/handbook/handbook.html).

Schünemann, H. J., Oxman, A. D., Brozek, J., Glasziou, P., Jaeschke, R., Vist, G. E.,... & Bossuyt, P. (2008). Rating Quality of Evidence and Strength of Recommendations: GRADE: Grading quality of evidence and strength of recommendations for diagnostic tests and strategies. *BMJ: British Medical Journal*, 336(7653), 1106.

Wessels, M., Hielkema, L., & van der Weijden, T. (2016). How to identify existing literature on patients' knowledge, views, and values: the development of a validated search filter. *Journal of the Medical Library Association: JMLA*, 104(4), 320.

Voyer, P., Richard, S., McCusker, J., Cole, M. G., Monette, J., Champoux, N.,... & Belzile, E. (2012). Detection of delirium and its symptoms by nurses working in a long term care facility. *Journal of the American Medical Directors Association*, 13(3), 264-271.

### Uitgangsvraag 3

Brouwers, M. C., Kho, M. E., Browman, G. P., Burgers, J. S., Cluzeau, F., Feder, G.,... & Littlejohns, P. (2010). AGREE II: advancing guideline development, reporting and evaluation in health care. *Canadian Medical Association Journal*, 182(18), E839-E842.

Kennisinstituut van de Federatie Medisch Specialisten. Ontwikkeling van Medisch Specialistische Richtlijnen: stappenplan. Utrecht, 2015

Landreville, P., Voyer, P., & Carmichael, P. H. (2013). Relationship between delirium and behavioral symptoms of dementia. *International psychogeriatrics*, 25(4), 635-643.

Medisch Specialistische Richtlijnen 2.0 (2012). Adviescommissie Richtlijnen van de Raad Kwaliteit. <https://www.demedischspecialist.nl/publicaties/medisch-specialistische-richtlijnen-20-rapport>

Sepúlveda, E., Leonard, M., Franco, J. G., Adamis, D., McCarthy, G., Dunne, C.,... & Meagher, D. J. (2017). Subsyndromal delirium compared with delirium, dementia, and subjects without delirium or dementia in elderly general hospital admissions and nursing home residents. *Alzheimer's & Dementia: Diagnosis, Assessment & Disease Monitoring*, 7, 1-10.

Schünemann H, Brożek J, Guyatt G, et al. GRADE handbook for grading quality of evidence and strength of recommendations. Updated October 2013. The GRADE Working Group, 2013. Available from [http://gdt.guidelinedevelopment.org/central\\_prod/\\_design/client/handbook/handbook.html](http://gdt.guidelinedevelopment.org/central_prod/_design/client/handbook/handbook.html).

Schünemann, H. J., Oxman, A. D., Brozek, J., Glasziou, P., Jaeschke, R., Vist, G. E.,... & Bossuyt, P. (2008). Rating Quality of Evidence and Strength of Recommendations: GRADE: Grading quality of evidence and strength of recommendations for diagnostic tests and strategies. *BMJ: British Medical Journal*, 336(7653), 1106.

Wessels, M., Hielkema, L., & van der Weijden, T. (2016). How to identify existing literature on patients' knowledge, views, and values: the development of a validated search filter. *Journal of the Medical Library Association: JMLA*, 104(4), 320.

Franco, J. G., Trzepacz, P. T., Gaviria, A. M., Sepúlveda, E., Viñuelas, E., Palma, J.,... & Vilella, E. (2019). Distinguishing characteristics of delirium in a skilled nursing facility in Spain: Influence of baseline cognitive status. *International journal of geriatric psychiatry*, 34(8), 1217-1225.

Voyer, P., Richard, S., Doucet, L., Danjou, C., & Carmichael, P. H. (2008). Detection of delirium by nurses among long-term care residents with dementia. *BMC nursing*, 7(1), 4.

### Uitgangsvraag 4

Bohlken J, Kostev K. Prevalence and risk factors for delirium diagnosis in patients followed in general practices in Germany. *Int Psychogeriatr*. 2018 Apr;30(4):511-518.

Boorsma M, Joling KJ, Frijters DH, Ribbe ME, Nijpels G, van Hout HP. The prevalence, incidence and risk factors for delirium in Dutch nursing homes and residential care homes. *Int J Geriatr Psychiatry*. 2012 Jul;27(7):709-15.

- Brouwers, M. C., Kho, M. E., Browman, G. P., Burgers, J. S., Cluzeau, F., Feder, G.,... & Littlejohns, P. (2010). AGREE II: advancing guideline development, reporting and evaluation in health care. *Canadian Medical Association Journal*, 182(18), E839-E842.
- Cheung ENM, Benjamin S, Heckman G, Ho JM, Lee L, Sinha SK, Costa AP. Clinical characteristics associated with the onset of delirium among long-term nursing home residents. *BMC Geriatr*. 2018 Feb 2;18(1):39.
- Dieleman-Bij de Vaate AJM, Eizenga WH, Lunter-Driever PGM, Moll van Charante EP, Perry M, Schep-Akkerman A, Smit BSJ, Starmans R, Verlaan-Snieders MNE, Van der Weele GM
- Eizenga WH, Dautzenberg PLJ, Eekhof JAH, Scholtes ABJ, Van Venrooij MH, Verduijn MM, Wiersma Tj, Burgers JS, Van der Weele GM
- Kosar CM, Thomas KS, Inouye SK, Mor V. Delirium During Postacute Nursing Home Admission and Risk for Adverse Outcomes. *J Am Geriatr Soc*. 2017 Jul;65(7):1470-1475.
- Kennisinstituut van de Federatie Medisch Specialisten. Ontwikkeling van Medisch Specialistische Richtlijnen: stappenplan. Utrecht, 2015
- de Lange E, Verhaak PF, van der Meer K. Prevalence, presentation and prognosis of delirium in older people in the population, at home and in long term care: a review. *Int J Geriatr Psychiatry*. 2013 Feb;28(2):127-34.
- Luijendijk HJ, Quispel-Aggenbach DWP, Stroome-van Wijk AJM, Meijerink-Blom AH, van Walbeek A, Zuidema SU. A short delirium caregiver questionnaire for triage of elderly outpatients with cognitive impairment: a development and test accuracy study [published online ahead of print, 2019 Oct 29]. *Int Psychogeriatr*. 2019;1-7.
- Mathillas J, Olofsson B, Lövhelm H, Gustafson Y. Thirty-day prevalence of delirium among very old people: a population-based study of very old people living at home and in institutions. *Arch Gerontol Geriatr*. 2013 Nov-Dec;57(3):298-304..
- Medisch Specialistische Richtlijnen 2.0 (2012). Adviescommissie Richtlijnen van de Raad Kwaliteit. <https://www.demedischspecialist.nl/publicaties/medisch-specialistische-richtlijnen-20-rapport>
- Quispel-Aggenbach DWP, Holtman GA, Zwartjes HAHT, Zuidema SU, Luijendijk HJ. Attention, arousal and other rapid bedside screening instruments for delirium in older patients: a systematic review of test accuracy studies. *Age Ageing*. 2018;47(5):644-653.
- Schünemann H, Brożek J, Guyatt G, et al. GRADE handbook for grading quality of evidence and strength of recommendations. Updated October 2013. The GRADE Working Group, 2013. Available from [http://gdt.guidelinedevelopment.org/central\\_prod/\\_design/client/handbook/handbook.html](http://gdt.guidelinedevelopment.org/central_prod/_design/client/handbook/handbook.html).
- Schünemann, H. J., Oxman, A. D., Brozek, J., Glasziou, P., Jaeschke, R., Vist, G. E.,... & Bossuyt, P. (2008). Rating Quality of Evidence and Strength of Recommendations: GRADE: Grading quality of evidence and strength of recommendations for diagnostic tests and strategies. *BMJ: British Medical Journal*, 336(7653), 1106.
- Teale EA, Munyombwe T, Schuurmans M, Siddiqi N, Young J. A prospective observational study to investigate utility of the Delirium Observational Screening Scale (DOSS) to detect delirium in care home residents. *Age Ageing*. 2018;47(1):56-61.
- Voyer P, Champoux N, Desrosiers J, et al. Recognizing acute delirium as part of your routine [RADAR]: a validation study. *BMC Nurs*. 2015;14:19.
- Voyer P, Champoux N, Desrosiers J, et al. Assessment of inattention in the context of delirium screening: one size does not fit all!. *Int Psychogeriatr*. 2016;28(8):1293-1301.
- Wessels, M., Hielkema, L., & van der Weijden, T. (2016). How to identify existing literature on patients' knowledge, views, and values: the development of a validated search filter. *Journal of the Medical Library Association: JMLA*, 104(4), 320.

### Uitgangsvraag 5

- Boorsma M, Joling KJ, Frijters DH, Ribbe ME, Nijpels G, van Hout HP. The prevalence, incidence and risk factors for delirium in Dutch nursing homes and residential care homes. *Int J Geriatr Psychiatry*. 2012 Jul;27(7):709-15.
- Hazelhof T, Garefeld W, Verdonschot T 2017. Dementie en psychiatrie. Bohn. Stafleu en van Loghum.
- Inouye SK, Bogardus ST Jr, Charpentier PA, Leo-Summers L, Acampora D, Holford TR, Cooney LM Jr. A multicomponent intervention to prevent delirium in hospitalized older patients. *N Engl J Med*. 1999 Mar 4;340(9):669-76. Instenes 2019
- Ricrad Ellis ABC(D) analyse

- Hertogh, C. Functionele geriatrie voor chronisch zieken ouderen. 1999
- Mathillas J, Olofsson B, Lövhelm H, Gustafson Y. Thirty-day prevalence of delirium among very old people: a population-based study of very old people living at home and in institutions. *Arch Gerontol Geriatr*. 2013 Nov-Dec;57(3):298-304.
- NHG standaard delier. Eizenga WH, Dautzenberg PLJ, Eekhof JAH, Scholtes ABJ, Van Venrooij MH, Verduijn MM, Wiersma Tj, Burgers JS, Van der Weele GM. 2014
- NVKG Richtlijn delier bij volwassenen en ouderen. 2020.
- Simpson M, Macias Tejada J, Driscoll A, Singh M, Klein M, Malone M. The Bundled Hospital Elder Life Program-HELP and HELP in Home Care-and Its Association With Clinical Outcomes Among Older Adults Discharged to Home Healthcare. *J Am Geriatr Soc*. 2019 Aug;67(8):1730-1736.
- Verenso Richtlijn probleemgedrag, bij mensen met dementie 2018
- Wet zorg en dwang <https://www.dwangindezorg.nl/wzd>
- Zorgstandaard dementie 2020 [zorgstandaarddementie.nl](https://www.zorgstandaarddementie.nl)
- Zorgpad kwetsbare ouderen over de keten en in het ziekenhuis 2019. NVKG

### Uitgangsvraag 6

- Abelha FJ, Luís C, Veiga D, Parente D, Fernandes V, Santos P, Botelho M, Santos A, Santos C. Outcome and quality of life in patients with postoperative delirium during an ICU stay following major surgery. *Crit Care*. 2013 Oct 29;17(5):R257.
- Brouwers, M. C., Kho, M. E., Browman, G. P., Burgers, J. S., Cluzeau, F., Feder, G.,... & Littlejohns, P. (2010). AGREE II: advancing guideline development, reporting and evaluation in health care. *Canadian Medical Association Journal*, 182(18), E839-E842.
- Chew J, Lim WS, Chong MS, Ding YY, Tay L. Impact of frailty and residual subsyndromal delirium on 1-year functional recovery: A prospective cohort study. *Geriatr Gerontol Int*. 2017 Dec;17(12):2472-2478.
- Cole MG, Bailey R, Bonnycastle M, McCusker J, Fung S, Ciampi A, Belzile E, Bai C. Partial and No Recovery from Delirium in Older Hospitalized Adults: Frequency and Baseline Risk Factors. *J Am Geriatr Soc*. 2015 Nov;63(11):2340-8.
- Dasgupta M, Brymer C. Prognosis of delirium in hospitalized elderly: worse than we thought. *Int J Geriatr Psychiatry*. 2014 May;29(5):497-505.
- Jackson P, Khan A. Delirium in critically ill patients. *Crit Care Clin*. 2015 Jul;31(3):589-603.
- Kennisinstituut van de Federatie Medisch Specialisten. Ontwikkeling van Medisch Specialistische Richtlijnen: stappenplan. Utrecht, 2015
- Koster S, Hensens AG, van der Palen J. The long-term cognitive and functional outcomes of postoperative delirium after cardiac surgery. *Ann Thorac Surg*. 2009 May;87(5):1469-74.
- Lam CY, Tay L, Chan M, Ding YY, Chong MS. Prospective observational study of delirium recovery trajectories and associated short-term outcomes in older adults admitted to a specialized delirium unit. *J Am Geriatr Soc*. 2014 Sep;62(9):1649-57.
- Medisch Specialistische Richtlijnen 2.0 (2012). Adviescommissie Richtlijnen van de Raad Kwaliteit. <https://www.demedischspecialist.nl/publicaties/medisch-specialistische-richtlijnen-20-rapport>
- O'Malley G, Leonard M, Meagher D, O'Keeffe ST. The delirium experience: a review. *J Psychosom Res*. 2008 Sep;65(3):223-8.
- Schünemann H, Brožek J, Guyatt G, et al. GRADE handbook for grading quality of evidence and strength of recommendations. Updated October 2013. The GRADE Working Group, 2013. Available from [http://gdt.guidelinedevelopment.org/central\\_prod/\\_design/client/handbook/handbook.html](http://gdt.guidelinedevelopment.org/central_prod/_design/client/handbook/handbook.html).
- Schünemann, H. J., Oxman, A. D., Brozek, J., Glasziou, P., Jaeschke, R., Vist, G. E.,... & Bossuyt, P. (2008). Rating Quality of Evidence and Strength of Recommendations: GRADE: Grading quality of evidence and strength of recommendations for diagnostic tests and strategies. *BMJ: British Medical Journal*, 336(7653), 1106.
- von Gunten A, Mosimann UP, Antonietti JP. A longitudinal study on delirium in nursing homes. *Am J Geriatr Psychiatry*. 2013 Oct;21(10):963-72.
- Wessels, M., Hielkema, L., & van der Weijden, T. (2016). How to identify existing literature on patients' knowledge, views, and values: the development of a validated search filter. *Journal of the Medical Library Association: JMLA*, 104(4), 320.