Bijlage 12

Literatuurlijst

Inleiding

1. European Pressure Ulcer Advisory Panel National Pressure Injury Advisory Panel and Pan Pacific Pressure Injury Alliance. *Prevention and Treatment of Pressure Ulcers/Injuries: Clinical Practice Guideline. The International Guideline.* Emily Haesler (Ed). EPUAP/NPIAP/PPPIA; 2019.
2. Ham WH, Schoonhoven L, Schuurmans MJ, Leenen LP. Pressure ulcers in trauma patients with suspected spine injury: a prospective cohort study with emphasis on device-related pressure ulcers. *International wound journal.* 2017;14(1):104-111.
3. Haesler E, Carville K. Advancing pressure injury prevention around the globe: from the Pan Pacific region to an international pressure injury guideline. *Wound Practice & Research: Journal of the Australian Wound Management Association.* 2015;23(2):62.
4. Haesler E, Thomas L, Morey P, Barker J. A systematic review of the literature addressing asepsis in wound management. *Wound Practice & Research: Journal of the Australian Wound Management Association.* 2016;24(4):208.
5. Halfens R, Schols J. Pressure ulcer prevalence, prevention and structural indicators over the years between countries. Paper presented at: JOURNAL OF ADVANCED NURSING2016.
6. Ham WH, Schoonhoven L, Schuurmans MJ, Veugelers R, Leenen LP. Pressure ulcer education improves interrater reliability, identification, and classification skills by emergency nurses and physicians. *Journal of emergency nursing.* 2015;41(1):43-51.
7. Kruithof WJ, Post MW, van Mierlo ML, van den Bos GA, de Man-van Ginkel JM, Visser-Meily JM. Caregiver burden and emotional problems in partners of stroke patients at two months and one year post-stroke: Determinants and prediction. *Patient Educ Couns.* 2016;99(10):1632-1640.
8. Schoonhoven L. International collaboration is essential for pressure ulcer management. In: CZECH MEDICAL SOC SOKOLSKA 31, PRAGUE 2 120 26, CZECH REPUBLIC; 2016.
9. Langemo D, Haesler E, Naylor W, Tippett A, Young T. Evidence-based guidelines for pressure ulcer management at the end of life. *International journal of palliative nursing.* 2015;21(5):225-232.
10. Rondas AA, Halfens RJ, Schols JM, Thiesen KP, Trienekens TA, Stobberingh EE. Is a wound swab for microbiological analysis supportive in the clinical assessment of infection of a chronic wound? *Future microbiology.* 2015;10(11):1815-1824.
11. Rondas A, Schols J, Halfens R, Hull H, Stobberingh E, Evers S. Cost analysis of one of the first outpatient wound clinics in the Netherlands. *Journal of wound care.* 2015;24(9):426-436.
12. Rondas AA, Schols JM, Stobberingh EE, Halfens RJ. Prevalence of chronic wounds and structural quality indicators of chronic wound care in Dutch nursing homes. *International wound journal.* 2015;12(6):630-635.
13. Ubbink DT, Lindeboom R, Eskes AM, Brull H, Legemate DA, Vermeulen H. Predicting complex acute wound healing in patients from a wound expertise centre registry: a prognostic study. *International wound journal.* 2015;12(5):531-536.
14. De Man-van Ginkel J, Hafsteinsdottir T, Lindeman E, Geerlings M, Grobbee D, Schuurmans M. Clinical manifestation of depression after stroke comparable to depression in patient with

symptomatic atherosclerotic diseases other than stroke and patients in general practice. Paper presented at: CEREBROVASCULAR DISEASES2014.

15. Verpleegkundigen & Verzorgenden Nederland (V&VN). *Landelijke multidisciplinaire richtlijn Decubitus preventie en behandeling.* Utrecht: Verpleegkundigen & Verzorgenden Nederland (V&VN);2011.
16. National Pressure Ulcer Advisory Panel (NPUAP) EPUAPE, Pan Pacific Pressure Injury Alliance (PPPIA). *Prevention and Treatment of Pressure Ulcers: Clinical Practice Guideline.* Osborne Park, WA: Cambridge Media;2014.
17. European Pressure Ulcer Advisory Panel National Pressure Injury Advisory Panel and Pan Pacific Pressure Injury Alliance. *Prevention and Treatment of Pressure Ulcers/Injuries: Clinical Practice Guideline. The International Guideline.* Emily Haesler (Ed). EPUAP/NPIAP/PPPIA; 2019.
18. Groth KE. *Klinische Beobachtungen und experimentelle Studien über die Entstehung des Dekubitus.* Almqvist & Wiksell; 1942.
19. Kosiak M. Etiology and pathology of ischemic ulcers. *Archives of physical medicine and rehabilitation.* 1959;40(2):62-69.
20. Breuls RG, Bouten CV, Oomens CW, Bader DL, Baaijens FP. Compression induced cell damage in engineered muscle tissue: an in vitro model to study pressure ulcer aetiology. *Ann Biomed Eng.* 2003;31(11):1357-1364.
21. Breuls RG, Bouten CV, Oomens CW, Bader DL, Baaijens FP. A theoretical analysis of damage evolution in skeletal muscle tissue with reference to pressure ulcer development. *J Biomech Eng.* 2003;125(6):902-909.
22. Daniel RK, Priest DL, Wheatley DC. Etiologic factors in pressure sores: an experimental model. *Archives of physical medicine and rehabilitation.* 1981;62(10):492-498.
23. Dinsdale SM. Decubitus ulcers: role of pressure and friction in causation. *Archives of physical medicine and rehabilitation.* 1974;55(4):147-152.
24. Gawlitta D, Li W, Oomens CW, Baaijens FP, Bader DL, Bouten CV. The relative contributions of compression and hypoxia to development of muscle tissue damage: an in vitro study. *Ann Biomed Eng.* 2007;35(2):273-284.
25. Gawlitta D, Oomens CW, Bader DL, Baaijens FP, Bouten CV. Temporal differences in the influence of ischemic factors and deformation on the metabolism of engineered skeletal muscle. *J Appl Physiol (1985).* 2007;103(2):464-473.
26. Linder-Ganz E, Engelberg S, Scheinowitz M, Gefen A. Pressure-time cell death threshold for albino rat skeletal muscles as related to pressure sore biomechanics. *Journal of biomechanics.* 2006;39(14):2725-2732.
27. Salcido R, Donofrio JC, Fisher SB, et al. Histopathology of pressure ulcers as a result of sequential computer-controlled pressure sessions in a fuzzy rat model. *Advances in wound care : the journal for prevention and healing.* 1994;7(5):23-24, 26, 28 passim.
28. Stekelenburg A, Oomens CW, Strijkers GJ, Nicolay K, Bader DL. Compression-induced deep tissue injury examined with magnetic resonance imaging and histology. *J Appl Physiol (1985).* 2006;100(6):1946-1954.
29. Reswick JB, Rogers JE. Experience at Rancho Los Amigos Hospital With Devices and Techniques to Prevent Pressure Sores. In: Kenedi RM, Cowden JM, eds. *Bed Sore Biomechanics: Proceedings of a seminar on Tissue Viability and Clinical Applications organised in association with the Department of Biomedical Engineering, the Institute of Orthopaedics (University of London), Royal National Orthopaedic Hospital, Stanmore, London, and held at the University of Strathclyde, Glasgow, in August, 1975.* London: Macmillan Education UK; 1976:301-310.

30. Akins JS, Vallely JJ, Karg PE, et al. Feasibility of freehand ultrasound to measure anatomical features associated with deep tissue injury risk. *Medical engineering & physics.* 2016;38(9):839-844.
31. Brienza D, Vallely J, Karg P, Akins J, Gefen A. An MRI investigation of the effects of user anatomy and wheelchair cushion type on tissue deformation. *Journal of tissue viability.* 2018;27(1):42-53.
32. Linder-Ganz E, Gefen A. Stress analyses coupled with damage laws to determine biomechanical risk factors for deep tissue injury during sitting. *J Biomech Eng.* 2009;131(1):011003.
33. Chow WW, Odell EI. Deformations and Stresses in Soft Body Tissues of a Sitting Person. *Journal of Biomechanical Engineering.* 1978;100(2):79-87.
34. Linder-Ganz E, Shabshin N, Itzchak Y, Gefen A. Assessment of mechanical conditions in sub-dermal tissues during sitting: a combined experimental-MRI and finite element approach. *Journal of biomechanics.* 2007;40(7):1443-1454.
35. Mak AF, Liu GH, Lee SY. Biomechanical assessment of below-knee residual limb tissue. *Journal of rehabilitation research and development.* 1994;31(3):188-198.
36. Todd BA, Thacker JG. Three-dimensional computer model of the human buttocks, in vivo. *Journal of rehabilitation research and development.* 1994;31(2):111-119.
37. Zhang JD, Mak AF, Huang LD. A large deformation biomechanical model for pressure ulcers. *J Biomech Eng.* 1997;119(4):406-408.
38. Dabnichki PA, Crocombe AD, Hughes SC. Deformation and Stress Analysis of Supported Buttock Contact. *Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine.* 1994;208(1):9-17.
39. Oomens CW, Bressers OF, Bosboom EM, Bouten CV, Blader DL. Can loaded interface characteristics influence strain distributions in muscle adjacent to bony prominences? *Comput Methods Biomech Biomed Engin.* 2003;6(3):171-180.
40. Linder-Ganz E, Gefen A. Mechanical compression-induced pressure sores in rat hindlimb: muscle stiffness, histology, and computational models. *J Appl Physiol (1985).* 2004;96(6):2034-2049.
41. Gefen A, Gefen N, Linder-Ganz E, Margulies SS. In vivo muscle stiffening under bone compression promotes deep pressure sores. *J Biomech Eng.* 2005;127(3):512-524.
42. Nola GT, Vistnes LM. Differential response of skin and muscle in the experimental production of pressure sores. *Plast Reconstr Surg.* 1980;66(5):728-733.
43. Gefen A. Tissue changes in patients following spinal cord injury and implications for wheelchair cushions and tissue loading: a literature review. *Ostomy/wound management.* 2014;60(2):34-45.
44. Gefen A. Why is the heel particularly vulnerable to pressure ulcers? *British journal of nursing (Mark Allen Publishing).* 2017;26(Sup20):S62-s74.
45. Kottner J, Gefen A, Lahmann N. Weight and pressure ulcer occurrence: a secondary data analysis. *International journal of nursing studies.* 2011;48(11):1339-1348.
46. Agam L, Gefen A. Pressure ulcers and deep tissue injury: a bioengineering perspective. *Journal of wound care.* 2007;16(8):336-342.
47. Sopher R, Nixon J, Gorecki C, Gefen A. Effects of intramuscular fat infiltration, scarring, and spasticity on the risk for sitting-acquired deep tissue injury in spinal cord injury patients. *J Biomech Eng.* 2011;133(2):021011.
48. Kosiak M. Etiology of decubitus ulcers. *Archives of physical medicine and rehabilitation.* 1961;42:19-29.
49. Bader DL, Barnhill RL, Ryan TJ. Effect of externally applied skin surface forces on tissue vasculature. *Archives of physical medicine and rehabilitation.* 1986;67(11):807-811.
50. Gefen A, Farid KJ, Shaywitz I. A review of deep tissue injury development, detection, and prevention: shear savvy. *Ostomy/wound management.* 2013;59(2):26-35.

51. Gray RJ, Worsley PR, Voegeli D, Bader DL. Monitoring contractile dermal lymphatic activity following uniaxial mechanical loading. *Medical engineering & physics.* 2016;38(9):895-903.
52. Topman G, Lin FH, Gefen A. The influence of ischemic factors on the migration rates of cell types involved in cutaneous and subcutaneous pressure ulcers. *Ann Biomed Eng.* 2012;40(9):1929-1939.
53. Gefen A. The future of pressure ulcer prevention is here: Detecting and targeting inflammation early *EWMA Journal.* 2018;19(2):7.
54. Toume S, Gefen A, Weihs D. Low-level stretching accelerates cell migration into a gap. *International wound journal.* 2017;14(4):698-703.
55. Gefen A. How much time does it take to get a pressure ulcer? Integrated evidence from human, animal, and in vitro studies. *Ostomy/wound management.* 2008;54(10):26-28, 30-25.
56. Krouskop TA. A synthesis of the factors that contribute to pressure sore formation. *Medical hypotheses.* 1983;11(2):255-267.
57. Krouskop TA, Reddy NP, Spencer WA, Secor JW. Mechanisms of decubitus ulcer formation--an hypothesis. *Medical hypotheses.* 1978;4(1):37-39.
58. Gefen A, Cornelissen LH, Gawlitta D, Bader DL, Oomens CW. The free diffusion of macromolecules in tissue-engineered skeletal muscle subjected to large compression strains. *Journal of biomechanics.* 2008;41(4):845-853.
59. Ruschkewitz Y, Gefen A. Cell-level temperature distributions in skeletal muscle post spinal cord injury as related to deep tissue injury. *Med Biol Eng Comput.* 2010;48(2):113-122.
60. Ruschkewitz Y, Gefen A. Cellular-scale transport in deformed skeletal muscle following spinal cord injury. *Comput Methods Biomech Biomed Engin.* 2011;14(5):411-424.
61. Ceelen KK, Stekelenburg A, Loerakker S, et al. Compression-induced damage and internal tissue strains are related. *Journal of biomechanics.* 2008;41(16):3399-3404.
62. Loerakker S, Manders E, Strijkers GJ, et al. The effects of deformation, ischemia, and reperfusion on the development of muscle damage during prolonged loading. *J Appl Physiol (1985).* 2011;111(4):1168-1177.
63. Loerakker S, Stekelenburg A, Strijkers GJ, et al. Temporal effects of mechanical loading on deformation-induced damage in skeletal muscle tissue. *Ann Biomed Eng.* 2010;38(8):2577-2587.
64. Loerakker S, Oomens CW, Manders E, et al. Ischemia-reperfusion injury in rat skeletal muscle assessed with T2-weighted and dynamic contrast-enhanced MRI. *Magnetic resonance in medicine.* 2011;66(2):528-537.
65. Oomens CWJ. A multi-scale approach to study the aetiology of pressure ulcers. . *Wound Repair and Regeneration.* 2010;18(4).
66. Stekelenburg A, Strijkers GJ, Parusel H, Bader DL, Nicolay K, Oomens CW. Role of ischemia and deformation in the onset of compression-induced deep tissue injury: MRI-based studies in a rat model. *J Appl Physiol (1985).* 2007;102(5):2002-2011.
67. Stekelenburg A, Gawlitta D, Bader DL, Oomens CW. Deep tissue injury: how deep is our understanding? *Archives of physical medicine and rehabilitation.* 2008;89(7):1410-1413.
68. Gefen A, Weihs D. Cytoskeleton and plasma-membrane damage resulting from exposure to sustained deformations: A review of the mechanobiology of chronic wounds. *Medical engineering & physics.* 2016;38(9):828-833.
69. Slomka N, Gefen A. Relationship between strain levels and permeability of the plasma membrane in statically stretched myoblasts. *Ann Biomed Eng.* 2012;40(3):606-618.
70. Leopold E, Gefen A. Changes in permeability of the plasma membrane of myoblasts to fluorescent dyes with different molecular masses under sustained uniaxial stretching. *Medical engineering & physics.* 2013;35(5):601-607.

Uitgangsvraag 1 - Risicobeoordeling

1. Chou R, Dana T, Bougatsos C, et al. Pressure ulcer risk assessment and prevention: a systematic comparative effectiveness review. *Ann Intern Med.* 2013;159(1):28-38.
2. Chin-Yee B, Upshur R. Clinical judgement in the era of big data and predictive analytics. *Journal of evaluation in clinical practice.* 2018;24(3):638-645.
3. Garcia-Fernandez FP, Pancorbo-Hidalgo PL, Agreda JJ. Predictive capacity of risk assessment scales and clinical judgment for pressure ulcers: a meta-analysis. *Journal of wound, ostomy, and continence nursing : official publication of The Wound, Ostomy and Continence Nurses Society.* 2014;41(1):24-34.
4. Norton D, McLaren R, Exton-Smith AN. *An investigation of geriatric nursing problems in hospital.* Churchill Livingstone; 1962.
5. Waterlow J. A risk assessment card. *Nursing times.* 1985;81:51-55.
6. Bergstrom N. The Braden Scale for predicting pressure sore risk. *Nursing research.* 1987;36(4):205-210.
7. Schoonhoven L, Grobbee DE, Donders AR, et al. Prediction of pressure ulcer development in hospitalized patients: a tool for risk assessment. *Quality & safety in health care.* 2006;15(1):65-70.
8. Van Marum RJ, Ooms ME, Ribbe MW, van Eijk JT. The Dutch pressure sore assessment score or the Norton scale for identifying at-risk nursing home patients? *Age and ageing.* 2000;29(1):63-68.
9. Baath C, Hall-Lord ML, Idvall E, Wiberg-Hedman K, Wilde Larsson B. Interrater reliability using Modified Norton Scale, Pressure Ulcer Card, Short Form-Mini Nutritional Assessment by registered and enrolled nurses in clinical practice. *Journal of clinical nursing.* 2008;17(5):618-626.
10. Kottner J, Dassen T. Pressure ulcer risk assessment in critical care: interrater reliability and validity studies of the Braden and Waterlow scales and subjective ratings in two intensive care units. *International journal of nursing studies.* 2010;47(6):671-677.
11. Rogenski N, Kurcgant P. Measuring interrater reliability in application of the Braden Scale. *Acta Paul Enferm.* 2012;25(1):24-28.
12. Kottner J, Dassen T. An interrater reliability study of the Braden scale in two nursing homes. *International journal of nursing studies.* 2008;45(10):1501-1511.
13. Kottner J, Halfens R, Dassen T. An interrater reliability study of the assessment of pressure ulcer risk using the Braden scale and the classification of pressure ulcers in a home care setting. *International journal of nursing studies.* 2009;46(10):1307-1312.
14. Wang LH, Chen HL, Yan HY, et al. Inter-rater reliability of three most commonly used pressure ulcer risk assessment scales in clinical practice. *International wound journal.* 2015;12(5):590-594.
15. Defloor T, Grypdonck MF. Pressure ulcers: validation of two risk assessment scales. *Journal of clinical nursing.* 2005;14(3):373-382.
16. Boyle M, Green M. Pressure sores in intensive care: defining their incidence and associated factors and assessing the utility of two pressure sore risk assessment tools. *Australian critical care : official journal of the Confederation of Australian Critical Care Nurses.* 2001;14(1):24-30.
17. Schoonhoven L, Defloor T, van der Tweel I, Buskens E, Grypdonck MH. Risk indicators for pressure ulcers during surgery. *Applied nursing research : ANR.* 2002;15(3):163-173.
18. Perneger TV, Rae AC, Gaspoz JM, Borst F, Vitek O, Heliot C. Screening for pressure ulcer risk in an acute care hospital: development of a brief bedside scale. *Journal of clinical epidemiology.* 2002;55(5):498-504.
19. Kim E-K, Lee S-M, Lee E, Eom M-R. Comparison of the predictive validity among pressure ulcer risk assessment scales for surgical ICU patients. *Australian Journal of Advanced Nursing, The.* 2009;26(4):87.

20. Jun Seongsook RN, Jeong Ihnsook RN, Lee Younghee RN. Validity of pressure ulcer risk assessment scales; Cubbin and Jackson, Braden, and Douglas scale. *International journal of nursing studies.* 2004;41(2):199-204.
21. Schoonhoven L, Defloor T, Grypdonck MH. Incidence of pressure ulcers due to surgery. *Journal of clinical nursing.* 2002;11(4):479-487.
22. Vocci M, Fontes C. APPLICATION OF THE BRADEN Q SCALE AT A PEDIATRIC INTENSIVE CARE UNIT. 2017:165-172.

Uitgangsvraag 2 - Patiëntengroepen

1. European Pressure Ulcer Advisory Panel National Pressure Injury Advisory Panel and Pan Pacific Pressure Injury Allinace. *Prevention and Treatment of Pressure Ulcers/Injuries: Clinical Practice Guideline. The International Guideline.* Emily Haesler (Ed). EPUAP/NPIAP/PPPIA; 2019.
2. Shahin ES, Dassen T, Halfens RJ. Incidence, prevention and treatment of pressure ulcers in intensive care patients: a longitudinal study. *International journal of nursing studies.* 2009;46(4):413-421.
3. VanGilder C, Amlung S, Harrison P, Meyer S. Results of the 2008-2009 International Pressure Ulcer Prevalence Survey and a 3-year, acute care, unit-specific analysis. *Ostomy/wound management.* 2009;55(11):39-45.
4. Coyer F, Miles S, Gosley S, et al. Pressure injury prevalence in intensive care versus non-intensive care patients: A state-wide comparison. *Aust Crit Care.* 2017;30(5):244-250.
5. Nowicki JL, Mullany D, Spooner A, et al. Are pressure injuries related to skin failure in critically ill patients? *Aust Crit Care.* 2018;31(5):257-263.
6. Zhao G, Hiltabidel E, Liu Y, Chen L, Liao Y. A cross-sectional descriptive study of pressure ulcer prevalence in a teaching hospital in China. *Ostomy/wound management.* 2010;56(2):38-42.
7. Catala Espinosa AI, Hidalgo Encinas Y, Cherednichenko T, et al. [Correlation between body mass index and development of pressure ulcers in intensive care medicine]. *Enfermeria intensiva.* 2014;25(3):107-113.
8. Cox J, Roche S, Murphy V. Pressure Injury Risk Factors in Critical Care Patients: A Descriptive Analysis. *Advances in skin & wound care.* 2018;31(7):328-334.
9. Pieper B, Panel NPUA, . NPUAP. *Pressure Ulcers: Prevalence, Incidence, and Implications for the Future.* National Pressure Ulcer Advisory Panel; 2012.
10. Bulfone G, Marzoli I, Quattrin R, Fabbro C, Palese A. A longitudinal study of the incidence of pressure sores and the associated risks and strategies adopted in Italian operating theatres. *J Perioper Pract.* 2012;22(2):50-56.
11. Schoonhoven L, Defloor T, Grypdonck MH. Incidence of pressure ulcers due to surgery. *Journal of clinical nursing.* 2002;11(4):479-487.
12. Reddy NP. Effects of Mechanical Stresses on Lymph and Interstitial Fluid Flows. In: Bader DL, ed. *Pressure Sores - Clinical Practice and Scientific Approach.* London: Macmillan Education UK; 1990:203-220.
13. Schoonhoven L, Defloor T, van der Tweel I, Buskens E, Grypdonck MH. Risk indicators for pressure ulcers during surgery. *Applied nursing research : ANR.* 2002;15(3):163-173.
14. Hoshowsky VM, Schramm CA. Intraoperative pressure sore prevention: an analysis of bedding materials. *Res Nurs Health.* 1994;17(5):333-339.
15. Hicks DJ. An incidence study of pressure sores following surgery. *ANA Clin Sess.* 1970:49-54.
16. Nixon J, Brown J, McElvenny D, Mason S, Bond S. Prognostic factors associated with pressure sore development in the immediate post-operative period. *International journal of nursing studies.* 2000;37(4):279-289.

17. Houghton PE, Campbell, K. E., CPG Panel. *Canadian Best Practice Guidelines for the Prevention and Management of Pressure Ulcers in People with Spinal Cord Injury: A resource handbook for clinicians.* 2013.
18. van der Wielen H, Post MW, Lay V, Glasche K, Scheel-Sailer A. Hospital-acquired pressure ulcers in spinal cord injured patients: time to occur, time until closure and risk factors. *Spinal Cord.* 2016;54(9):726-731.
19. Li C, DiPiro ND, Krause J. A latent structural equation model of risk behaviors and pressure ulcer outcomes among people with spinal cord injury. *Spinal Cord.* 2017;55(6):553-558.
20. Morita T, Yamada T, Watanabe T, Nagahori E. Lifestyle risk factors for pressure ulcers in community-based patients with spinal cord injuries in Japan. *Spinal Cord.* 2015;53(6):476-481.
21. Mathew A, Samuelkamaleshkumar S, Radhika S, Elango A. Engagement in occupational activities and pressure ulcer development in rehabilitated South Indian persons with spinal cord injury. *Spinal Cord.* 2013;51(2):150-155.
22. Hoh DJ, Rahman M, Fargen KM, Neal D, Hoh BL. Establishing standard hospital performance measures for cervical spinal trauma: a Nationwide In-patient Sample study. *Spinal Cord.* 2016;54(4):306-313.
23. Wilson JR, Arnold PM, Singh A, Kalsi-Ryan S, Fehlings MG. Clinical prediction model for acute inpatient complications after traumatic cervical spinal cord injury: a subanalysis from the Surgical Timing in Acute Spinal Cord Injury Study. *Journal of neurosurgery Spine.* 2012;17(1 Suppl):46-51.
24. Ploumis A, Kolli S, Patrick M, Owens M, Beris A, Marino RJ. Length of stay and medical stability for spinal cord-injured patients on admission to an inpatient rehabilitation hospital: a comparison between a model SCI trauma center and non-SCI trauma center. *Spinal Cord.* 2010;49:411.
25. Wannapakhe J, Arrayawichanon P, Saengsuwan J, Amatachaya S. Medical complications and falls in patients with spinal cord injury during the immediate phase after completing a rehabilitation program. *J Spinal Cord Med.* 2015;38(1):84-90.
26. Alvarez OM, Meehan M, Ennis W, et al. Chronic Wounds: Palliative Management for the Frail Population. *Wounds : a compendium of clinical research and practice.* 2002;14:5S-27S.
27. Shipman AR, Millington GW. Obesity and the skin. *Br J Dermatol.* 2011;165(4):743-750.
28. Sopher R, Nixon J, Gorecki C, Gefen A. Exposure to internal muscle tissue loads under the ischial tuberosities during sitting is elevated at abnormally high or low body mass indices. *J Biomech.* 2010;43(2):280-286.
29. Kottner J, Gefen A, Lahmann N. Weight and pressure ulcer occurrence: a secondary data analysis. *International journal of nursing studies.* 2011;48(11):1339-1348.
30. Ness SJ, Hickling DF, Bell JJ, Collins PF. The pressures of obesity: The relationship between obesity, malnutrition and pressure injuries in hospital inpatients. *Clin Nutr.* 2018;37(5):1569-1574.

Uitgangsvraag 3 - Classificatie

1. Bergquist-Beringer S, Gajewski B, Dunton N, Klaus S. The reliability of the National Database of Nursing Quality Indicators pressure ulcer indicator: a triangulation approach. *Journal of nursing care quality.* 2011;26(4):292-301.
2. Jesada EC, Warren JI, Goodman D, et al. Staging and defining characteristics of pressure ulcers using photographs by staff nurses in acute care settings. *Journal of wound, ostomy, and continence nursing : official publication of The Wound, Ostomy and Continence Nurses Society.* 2013;40(2):150-156.
3. Defloor T, Schoonhoven L. Inter-rater reliability of the EPUAP pressure ulcer classification system using photographs. *Journal of clinical nursing.* 2004;13(8):952-959.

4. Defloor T, Schoonhoven L, Katrien V, Weststrate J, Myny D. Reliability of the European Pressure Ulcer Advisory Panel classification system. *Journal of advanced nursing.* 2006;54(2):189-198.
5. Ham WH, Schoonhoven L, Schuurmans MJ, Veugelers R, Leenen LP. Pressure ulcer education improves interrater reliability, identification, and classification skills by emergency nurses and physicians. *J Emerg Nurs.* 2015;41(1):43-51.
6. Sarhan F, Weatherburn G, Graham A, Thiyagarajan C. Use of digital images in the assessment and treatment of pressure ulcers in patients with spinal injuries in community settings. *Journal of telemedicine and telecare.* 2010;16(4):207-210.
7. Baath C, Hall-Lord ML, Idvall E, Wiberg-Hedman K, Wilde Larsson B. Interrater reliability using Modified Norton Scale, Pressure Ulcer Card, Short Form-Mini Nutritional Assessment by registered and enrolled nurses in clinical practice. *Journal of clinical nursing.* 2008;17(5):618-626.
8. Nixon J, Thorpe H, Barrow H, et al. Reliability of pressure ulcer classification and diagnosis. *Journal of advanced nursing.* 2005;50(6):613-623.
9. Bours GJ, Halfens RJ, Lubbers M, Haalboom JR. The development of a national registration form to measure the prevalence of pressure ulcers in The Netherlands. *Ostomy/wound management.* 1999;45(11):28-33, 36-28, 40.
10. Young DL, Estocado N, Landers MR, Black J. A pilot study providing evidence for the validity of a new tool to improve assignment of national pressure ulcer advisory panel stage to pressure ulcers. *Advances in skin & wound care.* 2011;24(4):168-175.
11. Lilly D, Estocado N, Spencer-Smith JB, Englebright J. Validation of the NE1 wound assessment tool to improve staging of pressure ulcers on admission by registered nurses. *J Nurs Meas.* 2014;22(3):438-450.
12. National Pressure Ulcer Advisory Panel (NPUAP) EPUAP, Pan Pacific Pressure Injury Alliance (PPPIA). *Prevention and Treatment of Pressure Ulcers: Clinical Practice Guideline.* Osborne Park, WA: Cambridge Media;2014.
13. Organization WH. *ICD-10 (Version: 2016).* 2016.
14. Organization WH. *ICD-11 for Mortality and Morbidity Statistics (Version: 04/2019).* 2018.
15. Health NCfCi. *International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification 7th edition.* 2019.
16. Verpleegkundigen & Verzorgenden Nederland (V&VN). *Landelijke multidisciplinaire richtlijn Decubitus preventie en behandeling.* Utrecht: Verpleegkundigen & Verzorgenden Nederland (V&VN);2011.
17. Vangilder C, Macfarlane GD, Meyer S. Results of nine international pressure ulcer prevalence surveys: 1989 to 2005. *Ostomy/wound management.* 2008;54(2):40-54.
18. Baumgarten M, Margolis D, van Doorn C, et al. Black/White differences in pressure ulcer incidence in nursing home residents. *Journal of the American Geriatrics Society.* 2004;52(8):1293-1298.
19. Rosen J, Mittal V, Degenholtz H, et al. Pressure ulcer prevention in black and white nursing home residents: A QI initiative of enhanced ability, incentives, and management feedback. *Advances in skin & wound care.* 2006;19(5):262-268.

Uitgangsvraag 4 – Preventieve maatregelen

1. Defloor T, De Bacquer D, Grypdonck MH. The effect of various combinations of turning and pressure reducing devices on the incidence of pressure ulcers. *International journal of nursing studies.* 2005;42(1):37-46.
2. Moore Z, Cowman S, Conroy RM. A randomised controlled clinical trial of repositioning, using the 30 degrees tilt, for the prevention of pressure ulcers. *Journal of clinical nursing.* 2011;20(17-18):2633-2644.

3. Vanderwee K, Grypdonck MH, De Bacquer D, Defloor T. Effectiveness of turning with unequal time intervals on the incidence of pressure ulcer lesions. *Journal of advanced nursing.* 2007;57(1):59-68.
4. Bergstrom N, Horn SD, Rapp MP, Stern A, Barrett R, Watkiss M. Turning for Ulcer ReductioN: a multisite randomized clinical trial in nursing homes. *Journal of the American Geriatrics Society.* 2013;61(10):1705-1713.
5. Manzano F, Colmenero M, Perez-Perez AM, et al. Comparison of two repositioning schedules for the prevention of pressure ulcers in patients on mechanical ventilation with alternating pressure air mattresses. *Intensive Care Med.* 2014;40(11):1679-1687.
6. Gammon HM, Shelton CB, Siegert C, et al. Self-turning for pressure injury prevention. *Wound Medicine.* 2016;12:15-18.
7. Chaboyer W, Mills PM, Roberts S, Latimer S. Physical activity levels and torso orientations of hospitalized patients at risk of developing a pressure injury: an observational study. *Int J Nurs Pract.* 2015;21(1):11-17.
8. Sonenblum SE, Sprigle SH, Martin JS, Pe. Everyday sitting behavior of full-time wheelchair users. *Journal of rehabilitation research and development.* 2016;53(5):585-598.
9. Kallman U, Engstrom M, Bergstrand S, et al. The effects of different lying positions on interface pressure, skin temperature, and tissue blood flow in nursing home residents. *Biological research for nursing.* 2015;17(2):142-151.
10. Defloor T. The effect of position and mattress on interface pressure. *Applied nursing research : ANR.* 2000;13(1):2-11.
11. Moore Z, Cowman S, Posnett J. An economic analysis of repositioning for the prevention of pressure ulcers. *Journal of clinical nursing.* 2013;22(15-16):2354-2360.
12. Kallman U, Bergstrand S, Ek AC, Engstrom M, Lindberg LG, Lindgren M. Different lying positions and their effects on tissue blood flow and skin temperature in older adult patients. *Journal of advanced nursing.* 2013;69(1):133-144.
13. Gunningberg L, Sedin IM, Andersson S, Pingel R. Pressure mapping to prevent pressure ulcers in a hospital setting: A pragmatic randomised controlled trial. *International journal of nursing studies.* 2017;72:53-59.
14. Chung CHK, Lau MCH, Leung TYC, et al. *Effect of head elevation on sacral and ischial tuberosities pressure in infirmary patients.* Vol 72012.
15. Grap MJ, Munro CL, Wetzel PA, et al. Tissue interface pressure and skin integrity in critically ill, mechanically ventilated patients. *Intensive & critical care nursing.* 2017;38:1-9.
16. Powers J. Two Methods for Turning and Positioning and the Effect on Pressure Ulcer Development: A Comparison Cohort Study. *Journal of wound, ostomy, and continence nursing : official publication of The Wound, Ostomy and Continence Nurses Society.* 2016;43(1):46-50.
17. Gucer PW, Gaitens J, Oliver M, McDiarmid MA. Sit-stand powered mechanical lifts in long-term care and resident quality indicators. *J Occup Environ Med.* 2013;55(1):36-44.
18. De Laat E, Schoonhoven L, Grypdonck M, et al. Early postoperative 30 degrees lateral positioning after coronary artery surgery: influence on cardiac output. *Journal of clinical nursing.* 2007;16(4):654-661.
19. Tsuchiya S, Sato A, Azuma E, et al. The effectiveness of small changes for pressure redistribution; using the air mattress for small changes. *Journal of tissue viability.* 2016;25(2):135-142.
20. Oertwich PA, Kindschuh AM, Bergstrom N. The effects of small shifts in body weight on blood flow and interface pressure. *Res Nurs Health.* 1995;18(6):481-488.
21. Gebhardt K. Preventing pressure sores. *Elder Care.* 1994;6(2):23-28.
22. Defloor T, Grypdonck MH. Sitting posture and prevention of pressure ulcers. *Applied nursing research : ANR.* 1999;12(3):136-142.

23. McInnes E, Jammali-Blasi A, Bell-Syer SE, Dumville JC, Middleton V, Cullum N. Support surfaces for pressure ulcer prevention. *Cochrane Database Syst Rev.* 2015(9):CD001735.
24. Wiggermann N, Smith K, Kumpar D. What Bed Size Does a Patient Need? The Relationship Between Body Mass Index and Space Required to Turn in Bed. *Nursing research.* 2017;66(6):483-489.
25. European Pressure Ulcer Advisory Panel National Pressure Injury Advisory Panel and Pan Pacific Pressure Injury Allinace. *Prevention and Treatment of Pressure Ulcers/Injuries: Clinical Practice Guideline. The International Guideline.* Emily Haesler (Ed). EPUAP/NPIAP/PPPIA; 2019.
26. Sanada H, Sugama J, Matsui Y, et al. Randomised controlled trial to evaluate a new double-layer air-cell overlay for elderly patients requiring head elevation. *Journal of tissue viability.* 2003;13(3):112-114, 116, 118 passim.
27. Beeckman D, Serraes B, Anrys C, Van Tiggelen H, Van Hecke A, Verhaeghe S. A multicentre prospective randomised controlled clinical trial comparing the effectiveness and cost of a static air mattress and alternating air pressure mattress to prevent pressure ulcers in nursing home residents. *International journal of nursing studies.* 2019;97:105-113.
28. Brienza D, Kelsey S, Karg P, et al. A randomized clinical trial on preventing pressure ulcers with wheelchair seat cushions. *Journal of the American Geriatrics Society.* 2010;58(12):2308-2314.
29. Geyer MJ, Brienza DM, Karg P, Trefler E, Kelsey S. A randomized control trial to evaluate pressure-reducing seat cushions for elderly wheelchair users. *Advances in skin & wound care.* 2001;14(3):120-129; quiz 131-122.
30. Williamson R, Lachenbruch C, Vangilder C. The effect of multiple layers of linens on surface interface pressure: results of a laboratory study. *Ostomy/wound management.* 2013;59(6):38-48.
31. Mistiaen P, Achterberg W, Ament A, et al. The effectiveness of the Australian Medical Sheepskin for the prevention of pressure ulcers in somatic nursing home patients: a prospective multicenter randomized-controlled trial (ISRCTN17553857). *Wound repair and regeneration : official publication of the Wound Healing Society [and] the European Tissue Repair Society.* 2010;18(6):572-579.
32. Jolley DJ, Wright R, McGowan S, et al. Preventing pressure ulcers with the Australian Medical Sheepskin: an open-label randomised controlled trial. *Med J Aust.* 2004;180(7):324-327.
33. McGowan S, Montgomery K, Jolley D, Wright R. The role of sheepskins in preventing pressure ulcers in elderly orthopaedic patients. 2000.
34. Call E, Pedersen J, Bill B, Oberg C, Ferguson-Pell M. Microclimate impact of prophylactic dressings using in vitro body analog method. *Wounds : a compendium of clinical research and practice.* 2013;25(4):94-103.
35. Call E, Pedersen J, Bill B, et al. Enhancing pressure ulcer prevention using wound dressings: what are the modes of action? *International wound journal.* 2015;12(4):408-413.
36. Matsuzaki K, Kishi K. Investigating the pressure-reducing effect of wound dressings. *Journal of wound care.* 2015;24(11):512, 514-517.
37. Aloweni F, Lim ML, Chua TL, Tan SB, Lian SB, Ang SY. A randomised controlled trial to evaluate the incremental effectiveness of a prophylactic dressing and fatty acids oil in the prevention of pressure injuries. *Wound Practice & Research: Journal of the Australian Wound Management Association.* 2017;25:42-27.
38. Kalowes P, Messina V, Li M. Five-Layered Soft Silicone Foam Dressing to Prevent Pressure Ulcers in the Intensive Care Unit. *American journal of critical care : an official publication, American Association of Critical-Care Nurses.* 2016;25(6):e108-e119.
39. Brindle CT, Wegelin JA. Prophylactic dressing application to reduce pressure ulcer formation in cardiac surgery patients. *Journal of wound, ostomy, and continence nursing : official publication of The Wound, Ostomy and Continence Nurses Society.* 2012;39(2):133-142.

40. Santamaria N, Gerdtz M, Sage S, et al. A randomised controlled trial of the effectiveness of soft silicone multi-layered foam dressings in the prevention of sacral and heel pressure ulcers in trauma and critically ill patients: the border trial. *International wound journal.* 2015;12(3):302-308.
41. Santamaria N, Gerdtz M, Kapp S, Wilson L, Gefen A. A randomised controlled trial of the clinical effectiveness of multi-layer silicone foam dressings for the prevention of pressure injuries in high-risk aged care residents: The Border III Trial. *International wound journal.* 2018;15(3):482-490.
42. Park KH. The effect of a silicone border foam dressing for prevention of pressure ulcers and incontinence-associated dermatitis in intensive care unit patients. *Journal of wound, ostomy, and continence nursing : official publication of The Wound, Ostomy and Continence Nurses Society.* 2014;41(5):424-429.
43. Santamaria N, Gerdtz M, Liu W, et al. Clinical effectiveness of a silicone foam dressing for the prevention of heel pressure ulcers in critically ill patients: Border II Trial. *Journal of wound care.* 2015;24(8):340-345.
44. Padula WV. Effectiveness and Value of Prophylactic 5-Layer Foam Sacral Dressings to Prevent Hospital-Acquired Pressure Injuries in Acute Care Hospitals: An Observational Cohort Study. *Journal of wound, ostomy, and continence nursing : official publication of The Wound, Ostomy and Continence Nurses Society.* 2017;44(5):413-419.
45. Richard-Denis A, Thompson C, Mac-Thiong JM. Effectiveness of a multi-layer foam dressing in preventing sacral pressure ulcers for the early acute care of patients with a traumatic spinal cord injury: comparison with the use of a gel mattress. *International wound journal.* 2017;14(5):874-881.
46. Yoshimura M, Ohura N, Tanaka J, et al. Soft silicone foam dressing is more effective than polyurethane film dressing for preventing intraoperatively acquired pressure ulcers in spinal surgery patients: the Border Operating room Spinal Surgery (BOSS) trial in Japan. *International wound journal.* 2018;15(2):188-197.
47. Santamaria N, Liu W, Gerdtz M, et al. The cost-benefit of using soft silicone multilayered foam dressings to prevent sacral and heel pressure ulcers in trauma and critically ill patients: a within-trial analysis of the Border Trial. *International wound journal.* 2015;12(3):344-350.
48. Forni C, D'Alessandro F, Gallerani P, et al. Effectiveness of using a new polyurethane foam multi-layer dressing in the sacral area to prevent the onset of pressure ulcer in the elderly with hip fractures: A pragmatic randomised controlled trial. *International wound journal.* 2018;15(3):383-390.
49. Wu T, Wang ST, Lin PC, Liu CL, Chao YF. Effects of using a high-density foam pad versus a viscoelastic polymer pad on the incidence of pressure ulcer development during spinal surgery. *Biological research for nursing.* 2011;13(4):419-424.
50. Nixon J, McElvenny D, Mason S, Brown J, Bond S. A sequential randomised controlled trial comparing a dry visco-elastic polymer pad and standard operating table mattress in the prevention of post-operative pressure sores. *International journal of nursing studies.* 1998;35(4):193-203.
51. Feuchtinger J, de Bie R, Dassen T, Halfens R. A 4-cm thermoactive viscoelastic foam pad on the operating room table to prevent pressure ulcer during cardiac surgery. *Journal of clinical nursing.* 2006;15(2):162-167.
52. Vanderwee K, Clark M, Dealey C, Gunningberg L, Defloor T. Pressure ulcer prevalence in Europe: a pilot study. *Journal of evaluation in clinical practice.* 2007;13(2):227-235.
53. Cadue JF, Karolewicz S, Tardy C, Barrault C, Robert R, Pourrat O. [Prevention of heel pressure sores with a foam body-support device. A randomized controlled trial in a medical intensive care unit]. *Presse Med.* 2008;37(1 Pt 1):30-36.

54. Donnelly J, Winder J, Kernohan WG, Stevenson M. An RCT to determine the effect of a heel elevation device in pressure ulcer prevention post-hip fracture. *Journal of wound care.* 2011;20(7):309-312, 314-308.
55. Bååth C, Engström M, Gunningberg L, Athlin ÅM. Prevention of heel pressure ulcers among older patients–from ambulance care to hospital discharge: A multi-centre randomized controlled trial. *Applied Nursing Research.* 2016;30:170-175.
56. Meyers T. Prevention of Heel Pressure Injuries and Plantar Flexion Contractures With Use of a Heel Protector in High-Risk Neurotrauma, Medical, and Surgical Intensive Care Units: A Randomized Controlled Trial. *Journal of wound, ostomy, and continence nursing : official publication of The Wound, Ostomy and Continence Nurses Society.* 2017;44(5):429-433.
57. Cheneworth CC, Hagglund KH, Valmassoi B, Brannon C. Portrait of practice: healing heel ulcers. *Advances in wound care : the journal for prevention and healing.* 1994;7(2):44-48.
58. Black J, Alves P, Brindle CT, et al. Use of wound dressings to enhance prevention of pressure ulcers caused by medical devices. *International wound journal.* 2015;12(3):322-327.
59. Van Gilder C, Lachenbruch C, Harrison P, Davis D. Overall results from the 2011 International Pressure Ulcer Prevalence (IPUP) Survey. Paper presented at: JOURNAL OF WOUND OSTOMY AND CONTINENCE NURSING2012.
60. Azuh O, Gammon H, Burmeister C, et al. Benefits of Early Active Mobility in the Medical Intensive Care Unit: A Pilot Study. *Am J Med.* 2016;129(8):866-871 e861.
61. Klein K, Mulkey M, Bena JF, Albert NM. Clinical and psychological effects of early mobilization in patients treated in a neurologic ICU: a comparative study. *Critical care medicine.* 2015;43(4):865-873.
62. Dickinson S, Tschannen D, Shever LL. Can the use of an early mobility program reduce the incidence of pressure ulcers in a surgical critical care unit? *Crit Care Nurs Q.* 2013;36(1):127-140.
63. Wood W, Tschannen D, Trotsky A, et al. A mobility program for an inpatient acute care medical unit. *Am J Nurs.* 2014;114(10):34-40; quiz 41-32.
64. Compton F, Hoffmann F, Hortig T, et al. Pressure ulcer predictors in ICU patients: nursing skin assessment versus objective parameters. *Journal of wound care.* 2008;17(10):417-420, 422-414.
65. Marchette L, Arnell I, Redick E. Skin ulcers of elderly surgical patients in critical care units. *Dimens Crit Care Nurs.* 1991;10(6):321-329.
66. Schnelle JF, Adamson GM, Cruise PA, et al. Skin disorders and moisture in incontinent nursing home residents: intervention implications. *Journal of the American Geriatrics Society.* 1997;45(10):1182-1188.
67. Vanderwee K, Grypdonck MH, De Bacquer D, Defloor T. The reliability of two observation methods of nonblanchable erythema, Grade 1 pressure ulcer. *Applied nursing research : ANR.* 2006;19(3):156-162.
68. Kottner J, Dassen T, Lahmann N. Comparison of two skin examination methods for grade 1 pressure ulcers. *Journal of clinical nursing.* 2009;18(17):2464-2469.
69. Vanderwee K, Grypdonck M, De Bacquer D, Defloor T. The identification of older nursing home residents vulnerable for deterioration of grade 1 pressure ulcers. *Journal of clinical nursing.* 2009;18(21):3050-3058.
70. Cox J, Kaes L, Martinez M, Moles D. A Prospective, Observational Study to Assess the Use of Thermography to Predict Progression of Discolored Intact Skin to Necrosis Among Patients in Skilled Nursing Facilities. *Ostomy/wound management.* 2016;62(10):14-33.
71. Farid KJ, Winkelman C, Rizkala A, Jones K. Using temperature of pressure-related intact discolored areas of skin to detect deep tissue injury: an observational, retrospective, correlational study. *Ostomy/wound management.* 2012;58(8):20-31.

72. Ananthapadmanabhan KP, Moore DJ, Subramanyan K, Misra M, Meyer F. Cleansing without compromise: the impact of cleansers on the skin barrier and the technology of mild cleansing. *Dermatol Ther.* 2004;17 Suppl 1:16-25.
73. Park KH, Kim KS. Effect of a structured skin care regimen on patients with fecal incontinence: a comparison cohort study. *Journal of wound, ostomy, and continence nursing : official publication of The Wound, Ostomy and Continence Nurses Society.* 2014;41(2):161-167.
74. Bateman SD, Roberts S. Moisture lesions and associated pressure ulcers: Getting the dressing regimen right. *Wounds UK.* 2013;9:97-102.
75. Gardner T, Briggs G. Biomechanical measurements in microscopically thin stratum corneum using acoustics. *Skin Research and Technology.* 2001;7(4):254-261.
76. Koutroupi K, Barbenel J. Mechanical and failure behaviour of the stratum corneum. *Journal of biomechanics.* 1990;23(3):281-287.
77. Yuan Y, Verma R. Measuring microelastic properties of stratum corneum. *Colloids and Surfaces B: Biointerfaces.* 2006;48(1):6-12.
78. Verpleegkundigen & Verzorgenden Nederland (V&VN). *Landelijke multidisciplinaire richtlijn Smetten (intertrigo) preventie en behandeling.* Utrecht: Verpleegkundigen & Verzorgenden Nederland (V&VN);2011.
79. Beeckman D. VdBK, Alves P., Beele H., Ciprandi G., Coyer F., de Groot T., De, Meyer D. DAM, Fourie A., García-Molina P., Gray M., Iblasi A., Jelnes R., Johansen E.,, Karadağ A. LK, Kis Dadara Z., Long M.A., Meaume S., Pokorna A., Romanelli M.,, Ruppert S. SL, Smet S., Smith C., Steininger A., Stockmayr M., Van Damme N.,, Voegeli D. VHA, Verhaeghe S., Woo K. and Kottner J. *The Ghent Global IAD Categorisation Tool (GLOBIAD).* Gent: Universiteit Gent;2017.
80. Iizaka S, Okuwa M, Sugama J, Sanada H. The impact of malnutrition and nutrition-related factors on the development and severity of pressure ulcers in older patients receiving home care. *Clin Nutr.* 2010;29(1):47-53.
81. Fry DE, Pine M, Jones BL, Meimban RJ. Patient characteristics and the occurrence of never events. *Arch Surg.* 2010;145(2):148-151.
82. Wojcik A, Atkins M, Mager DR. Dietary intake in clients with chronic wounds. *Can J Diet Pract Res.* 2011;72(2):77-82.
83. Guenter P, Malyszek R, Bliss DZ, et al. Survey of nutritional status in newly hospitalized patients with stage III or stage IV pressure ulcers. *Advances in skin & wound care.* 2000;13(4 Pt 1):164-168.
84. Tsaousi G, Stavrou G, Ioannidis A, Salonikidis S, Kotzampassi K. Pressure ulcers and malnutrition: results from a snapshot sampling in a university hospital. *Med Princ Pract.* 2015;24(1):11-16.
85. Yatabe MS, Taguchi F, Ishida I, et al. Mini nutritional assessment as a useful method of predicting the development of pressure ulcers in elderly inpatients. *Journal of the American Geriatrics Society.* 2013;61(10):1698-1704.
86. Kruizenga H, Beijer, S., Huisman-de Waal, G., Jonkers-Schuitema, C., Klos, M., Remijnse-Meester, W., Thijs, A., Tieland, M., Vasse, E., Witteman, B. . *Richtlijn Ondervoeding - Herkenning, diagnosestelling en behandeling van ondervoeding bij volwassenen. .* Nederland: Stuurgroep Ondervoeding;2019.

Uitgangsvraag 5 - Behandeling

1. Nixon J, Nelson EA, Cranny G, et al. Pressure relieving support surfaces: a randomised evaluation. *Health Technol Assess.* 2006;10(22):iii-iv, ix-x, 1-163.
2. Demarre L, Verhaeghe S, Van Hecke A, Clays E, Grypdonck M, Beeckman D. Factors predicting the development of pressure ulcers in an at-risk population who receive standardized preventive care:

secondary analyses of a multicentre randomised controlled trial. *Journal of advanced nursing.* 2015;71(2):391-403.
3. Palfreyman SJ, Stone PW. A systematic review of economic evaluations assessing interventions aimed at preventing or treating pressure ulcers. *International journal of nursing studies.* 2015;52(3):769-788.
4. Vermeulen H, Schreuder, S., Lubbers, M., Ubbink, D. . Kunnen chirurgen en verpleegkundigen open wonden betrouwbaar beoordelen volgens het WCS-model? *WCS.* 2006;21(2):5.
5. Vermeulen H, Ubbink DT, Schreuder SM, Lubbers MJ. Inter- and intra-observer (dis)agreement among nurses and doctors to classify colour and exudation of open surgical wounds according to the Red-Yellow-Black scheme. *Journal of clinical nursing.* 2007;16(7):1270-1277.
6. Lorentzen HF, Holstein P, Gottrup F. [Interobserver variation in the Red-Yellow-Black wound classification system]. *Ugeskr Laeger.* 1999;161(44):6045-6048.
7. Schultz GS, Sibbald RG, Falanga V, et al. Wound bed preparation: a systematic approach to wound management. *Wound repair and regeneration.* 2003;11:S1-S28.
8. Fletcher J. Wound bed preparation and the TIME principles. *Nurs Stand.* 2005;20(12):57-65; quiz 66.
9. Kruizenga H, Beijer, S., Huisman-de Waal, G., Jonkers-Schuitema, C., Klos, M., Remijnse-Meester, W., Thijs, A., Tieland, M., Vasse, E., Witteman, B. . *Richtlijn Ondervoeding - Herkenning, diagnosestelling en behandeling van ondervoeding bij volwassenen. .* Nederland: Stuurgroep Ondervoeding;2019.
10. Verenso. *Multidisciplinaire Richtlijn Pijn, Herkenning en behandeling van pijn bij kwetsbare ouderen. Deel 1. .* Utrecht: Verenso 2011;2011.
11. Heelkunde NVv. *Wondzorg.* Kennisinstituut, Federatie van Medisch Specialisten;2013.
12. de Laat HEW, T. van Achterberg, G. J. J. W. Bours, and A. M. Eliens. Wondzorg. Effectief Verplegen. . In: *WCS Wondenboek.* Dwingeloo: KAVANAH; 2016:489-527.

Uitgangsvraag 6 - Zelfmanagement

1. V&VN VVN. *Zelfmanagementondersteuning behoort tot de kern van verplegen! .* Van der Weij BV; 2014.
2. de Laat HE, de Munter AC, van der Burg MJ, Ulrich DJ, Kloeters O. A cross-sectional study on self-management of pressure ulcer prevention in paraplegic patients. *Journal of tissue viability.* 2017;26(1):69-74.
3. Baron JS, Sullivan KJ, Swaine JM, et al. Self-management interventions for skin care in people with a spinal cord injury: part 1—a systematic review of intervention content and effectiveness. *Spinal Cord.* 2018;56(9):823-836.
4. Cogan AM, Blanchard J, Garber SL, Vigen CL, Carlson M, Clark FA. Systematic review of behavioral and educational interventions to prevent pressure ulcers in adults with spinal cord injury. *Clinical rehabilitation.* 2017;31(7):871-880.
5. Tung JY, Stead B, Mann W, Ba'Pham, Popovic MR. Assistive technologies for self-managed pressure ulcer prevention in spinal cord injury: a scoping review. *Journal of rehabilitation research and development.* 2015;52(2):131-146.
6. Brace JA, Schubart JR. A prospective evaluation of a pressure ulcer prevention and management E-Learning Program for adults with spinal cord injury. *Ostomy/wound management.* 2010;56(8):40-50.
7. Garber SL, Rintala DH, Holmes SA, Rodriguez GP, Friedman J. A structured educational model to improve pressure ulcer prevention knowledge in veterans with spinal cord dysfunction [corrected]

[published erratum appears in J REHABIL RES DEV 2002 Nov-Dec;39(6):711]. *Journal of Rehabilitation Research & Development.* 2002;39(5):575-587.

8. Hartigan I, Murphy S, Hickey M. Older adults' knowledge of pressure ulcer prevention: a prospective quasi-experimental study. *International journal of older people nursing.* 2012;7(3):208-218.
9. Schoeps LN, Tallberg AB, Gunningberg L. Patients' knowledge of and participation in preventing pressure ulcers- an intervention study. *International wound journal.* 2017;14(2):344-348.
10. Schubart J. An e-learning program to prevent pressure ulcers in adults with spinal cord injury: a pre- and post- pilot test among rehabilitation patients following discharge to home. *Ostomy/wound management.* 2012;58(10):38-49.
11. Arora M, Harvey LA, Glinsky JV, et al. Telephone-based management of pressure ulcers in people with spinal cord injury in low- and middle-income countries: a randomised controlled trial. *Spinal Cord.* 2017;55(2):141-147.
12. Guihan M, Bombardier CH, Ehde DM, et al. Comparing multicomponent interventions to improve skin care behaviors and prevent recurrence in veterans hospitalized for severe pressure ulcers. *Archives of physical medicine and rehabilitation.* 2014;95(7):1246-1253.e1243.
13. Chaboyer W, Bucknall T, Webster J, et al. The effect of a patient centred care bundle intervention on pressure ulcer incidence (INTACT): A cluster randomised trial. *International journal of nursing studies.* 2016;64:63-71.
14. Dicianno BE, Fairman AD, McCue M, et al. Feasibility of Using Mobile Health to Promote Self-Management in Spina Bifida. *Am J Phys Med Rehabil.* 2016;95(6):425-437.
15. Houlihan BV, Jette A, Friedman RH, et al. A pilot study of a telehealth intervention for persons with spinal cord dysfunction. *Spinal Cord.* 2013;51(9):715-720.
16. Rintala DH, Garber SL, Friedman JD, Holmes SA. Preventing recurrent pressure ulcers in veterans with spinal cord injury: impact of a structured education and follow-up intervention. *Archives of physical medicine and rehabilitation.* 2008;89(8):1429-1441.
17. Ferris FD, von Gunten CF, Emanuel LL. Knowledge: insufficient for change. *J Palliat Med.* 2001;4(2):145-147.
18. Ghisi GLdM, Abdallah F, Grace SL, Thomas S, Oh P. A systematic review of patient education in cardiac patients: Do they increase knowledge and promote health behavior change? *Patient Education and Counseling.* 2014;95(2):160-174.
19. García-Ríos MC, Navarro-Ledesma S, Tapia-Haro RM, et al. Effectiveness of health education in patients with fibromyalgia: a systematic review. *Eur J Phys Rehabil Med.* 2019;55(2):301-313.
20. Stenberg U, Haaland-Øverby M, Koricho AT, et al. How can we support children, adolescents and young adults in managing chronic health challenges? A scoping review on the effects of patient education interventions. *Health Expect.* 2019;22(5):849-862.
21. Nederland; DO. E-cursus: Weer op Weg. https://www.weeropweg.info/. Accessed 02-09-2020, 2020.

Uitgangsvraag 7 – Monitoring en evaluatie

1. Chaplin J. Pressure sore risk assessment in palliative care. *Journal of tissue viability.* 2000;10(1):27-31.
2. Ferrell BA, Josephson K, Norvid P, Alcorn H. Pressure ulcers among patients admitted to home care. *Journal of the American Geriatrics Society.* 2000;48(9):1042-1047.
3. van Rijswijk L. Full-thickness pressure ulcers: patient and wound healing characteristics. *Decubitus.* 1993;6(1):16-21.

4. van Rijswijk L, Polansky M. Predictors of time to healing deep pressure ulcers. *Ostomy/wound management.* 1994;40(8):40-42, 44, 46-48 passim.
5. Lynn J, West J, Hausmann S, et al. Collaborative clinical quality improvement for pressure ulcers in nursing homes. *Journal of the American Geriatrics Society.* 2007;55(10):1663-1669.
6. Bolton L, McNees P, van Rijswijk L, et al. Wound-healing outcomes using standardized assessment and care in clinical practice. *Journal of wound, ostomy, and continence nursing : official publication of The Wound, Ostomy and Continence Nurses Society.* 2004;31(2):65-71.
7. Bergstrom N, Smout R, Horn S, Spector W, Hartz A, Limcangco MR. Stage 2 pressure ulcer healing in nursing homes. *Journal of the American Geriatrics Society.* 2008;56(7):1252-1258.
8. Edsberg LE, Wyffels JT, Ha DS. Longitudinal study of stage III and stage IV pressure ulcer area and perimeter as healing parameters to predict wound closure. *Ostomy Wound Management.* 2011;57(10):50-62.
9. Bolton L, McNees P, van Rijswijk L, et al. Wound-healing outcomes using standardized assessment and care in clinical practice. *Journal of wound, ostomy, and continence nursing : official publication of The Wound, Ostomy and Continence Nurses Society.* 2004;31(2):65-71.
10. Palese A, Luisa S, Ilenia P, et al. What is the healing time of Stage II pressure ulcers? Findings from a secondary analysis. *Advances in skin & wound care.* 2015;28(2):69-75.
11. European Pressure Ulcer Advisory Panel National Pressure Injury Advisory Panel and Pan Pacific Pressure Injury Allinace. *Prevention and Treatment of Pressure Ulcers/Injuries: Clinical Practice Guideline. The International Guideline.* Emily Haesler (Ed). EPUAP/NPIAP/PPPIA; 2019.
12. Iizaka S, Sanada H, Matsui Y, et al. Predictive validity of weekly monitoring of wound status using DESIGN-R score change for pressure ulcer healing: a multicenter prospective cohort study. *Wound repair and regeneration : official publication of the Wound Healing Society [and] the European Tissue Repair Society.* 2012;20(4):473-481.
13. Gardner SE, Frantz RA, Bergquist S, Shin CD. A prospective study of the pressure ulcer scale for healing (PUSH). *J Gerontol A Biol Sci Med Sci.* 2005;60(1):93-97.
14. Stotts NA, Rodeheaver GT, Thomas DR, et al. An instrument to measure healing in pressure ulcers: development and validation of the pressure ulcer scale for healing (PUSH). *J Gerontol A Biol Sci Med Sci.* 2001;56(12):M795-799.
15. George-Saintilus E, Tommasulo B, Cal CE, et al. Pressure ulcer PUSH score and traditional nursing assessment in nursing home residents: do they correlate? *Journal of the American Medical Directors Association.* 2009;10(2):141-144.
16. Choi EP, Chin WY, Wan EY, Lam CL. Evaluation of the internal and external responsiveness of the Pressure Ulcer Scale for Healing (PUSH) tool for assessing acute and chronic wounds. *Journal of advanced nursing.* 2016;72(5):1134-1143.
17. Vermeulen H, Schreuder S, Lubbers M, Ubbink D. Kunnen chirurgen en verpleegkundigen open wonden betrouwbaar beoordelen volgens het WCS-model. *WCS Nieuws.* 2005;21(2):3-7.
18. Lorentzen HF, Holstein P, Gottrup F. [Interobserver variation in the Red-Yellow-Black wound classification system]. *Ugeskr Laeger.* 1999;161(44):6045-6048.
19. Baltussen R, Kersten M. *De stem van de patiënt bij de behandeling van decubitus* [Onderzoeksverslag]. Nijmegen: Instituut voor Verpleegkundige studies, Hogeschool van Arnhem en Nijmegen; 2018.
20. Laek P, Koucher J. *De stem van de patiënt in de prevenetie van decubitus* [Onderzoeksraport]. Nijmegen: Instituut voor Verpleegkundige Studies, Hogeschool van Arnhem en NIjmegen 2018.
21. Bale S, Dealey C, Defloor T, Hopkins A, Worboys F. The experience of living with a pressure ulcer. *Nurs Times.* 2007;103(15):42-43.

22. Fox C. Living with a pressure ulcer: a descriptive study of patients' experiences. *Br J Community Nurs.* 2002;7(6 Suppl):10, 12, 14, 16, 20, 22.
23. Hopkins A, Dealey C, Bale S, Defloor T, Worboys F. Patient stories of living with a pressure ulcer. *Journal of advanced nursing.* 2006;56(4):345-353.
24. Van der Meer P, Post MW, van Leeuwen CM, van Kuppevelt HJ, Smit CA, van Asbeck FW. Impact of health problems secondary to SCI one and five years after first inpatient rehabilitation. *Spinal Cord.* 2017;55(1):98-104.
25. Payne D. Strategies to support prevention, identification and management of pressure ulcers in the community. *British journal of community nursing.* 2016;Suppl:S10, s12-15, s18.

Uitgangsvraag 8 – Organisatie van zorg

1. Kennisinstituut van de Federatie Medisch Specialisten. *Kwaliteitsstandaard Organisatie van wondzorg in Nederland.* 2018.
2. Allen B. Effects of a comprehensive nutritional program on pressure ulcer healing, length of hospital stay, and charges to patients. *Clin Nurs Res.* 2013;22(2):186-205.
3. Dorner B, Friedrich EK. Position of the Academy of Nutrition and Dietetics: Individualized Nutrition Approaches for Older Adults: Long-Term Care, Post-Acute Care, and Other Settings. *J Acad Nutr Diet.* 2018;118(4):724-735.
4. Skytt B, Engstrom M, Martensson G, Mamhidir AG. A longitudinal qualitative study of health care personnel's perceptions of simultaneous implementation of three risk assessment scales on falls, malnutrition and pressure ulcers. *Journal of clinical nursing.* 2016;25(13-14):1912-1922.
5. Tuffaha HW, Roberts S, Chaboyer W, Gordon LG, Scuffham PA. Cost-effectiveness and value of information analysis of nutritional support for preventing pressure ulcers in high-risk patients: implement now, research later. *Appl Health Econ Health Policy.* 2015;13(2):167-179.
6. Tuffaha HW, Roberts S, Chaboyer W, Gordon LG, Scuffham PA. Cost-effectiveness Analysis of Nutritional Support for the Prevention of Pressure Ulcers in High-Risk Hospitalized Patients. *Advances in skin & wound care.* 2016;29(6):261-267.
7. Ergotherapie Nederland. Ergotherapie Nederland. Beroepsvereniging voor ergotherapeuten. https://ergotherapie.nl/. Accessed 01-01-2020.
8. De Fystiotherapeut. De fystiotherapeut over fysiotherapie. https://www.defysiotherapeut.com/. Accessed 01-01-2020.
9. Keelaghan E, Margolis D, Zhan M, Baumgarten M. Prevalence of pressure ulcers on hospital admission among nursing home residents transferred to the hospital. *Wound repair and regeneration : official publication of the Wound Healing Society [and] the European Tissue Repair Society.* 2008;16(3):331-336.
10. Kuusisto A, Asikainen P, Saranto K. Contents of Informational and Management Continuity of Care. *Stud Health Technol Inform.* 2019;264:669-673.
11. Guest JF, Fuller GW, Vowden P, Vowden KR. Cohort study evaluating pressure ulcer management in clinical practice in the UK following initial presentation in the community: costs and outcomes. *BMJ open.* 2018;8(7):e021769.
12. Hopkins A, Worboys F. Establishing community wound prevalence within an inner London borough: exploring the complexities. *Journal of tissue viability.* 2014;23(4):121-128.
13. Jackson DE, Durrant LA, Hutchinson M, Ballard CA, Neville S, Usher K. Living with multiple losses: Insights from patients living with pressure injury. *Collegian.* 2018;25(4):409-414.

Bijlagen - Algemeen

1. Landeta J. Current validity of the Delphi method in social sciences. *Technological Forecasting and Social Change.* 2006;73(5):467-482.
2. IQ healthcare R. IQ Consensus tool. https://www.iqhealthcare.nl/nl/kennisbank/tools/iq-consensus-tool/. Accessed.
3. European Pressure Ulcer Advisory Panel National Pressure Injury Advisory Panel and Pan Pacific Pressure Injury Alliance. *Prevention and Treatment of Pressure Ulcers/Injuries: Clinical Practice Guideline. The International Guideline.* Emily Haesler (Ed). EPUAP/NPIAP/PPPIA; 2019.
4. European Pressure Ulcer Advisory Panel National Pressure Injury Advisory Panel and Pan Pacific Pressure Injury Alliance. *Methodology Protocol for the Clinical Practice Guideline (third edition).* EPUAP, NPIAP & PPPIA;2018.
5. (AQUA) A-eeK. *Leidraad voor kwaliteitsstandaarden.* Zorginstituut Nederland;2019.
6. Hilbink M, Ouwens M, Kool T. *De HARING-tools. Dertien instrumenten voor ondersteuning bij het opstellen, herzien, implementeren en evalueren van richtlijnen.* Nijmegen: Scientific Institute for Quality of Healthcare;2013.

Bijlagen - Indicatoren

1. Donabedian A. The quality of care: how can it be assessed? *Jama.* 1988;260(12):1743-1748.

Bijlagen - Implementatie

1. Baltussen R, Kersten M. *De stem van de patiënt bij de behandeling van decubitus* [Onderzoeksverslag]. Nijmegen: Instituut voor Verpleegkundige studies, Hogeschool van Arnhem en Nijmegen; 2018.
2. Laek P, Koucher J. *De stem van de patiënt in de prevenetie van decubitus* [Onderzoeksraport]. Nijmegen: Instituut voor Verpleegkundige Studies, Hogeschool van Arnhem en NIjmegen 2018.
3. Van der Velden L. *Implementation of the quality standard pressure ulcers in primary care: a qualitative study of barriers and facilitators* [Master thesis]. Utrecht: Clinical Health Sciences, University Utrecht; 2019.
4. Hesen L, Martens P. *Implementatie in de eerstelijnszorg* [Onderzoeksverslag]. Nijmegen: Instituut voor Verpleegkundige Studies, Hogeschool van Arnhem en NIjmegen; 2019.
5. Van Schijndel D, Jenniskens R. *Een onderzoek naar het valideren van een vragenlijst die de toepasbaarheid meet van de aanbevelingen uit de nieuwe richtlijn preventie en behandeling decubitus*. Nijmegen: Academie van Gezondheid en Vitaliteit, Hogeschool van Arnhem en Nijmegen; 2020.
6. Van Uden I. *Implementation of the quality standard Pressure Ulcer in primary care: a quantitative study of determinants influencing actual use*. Utrecht: Master Clinical Health Sciences, Nursing Science, Utrecht University; 2020.
7. Swinkels E. *Development of the revised pressure ulcer guideline in institutional healthcare organisations: Facilitators and barriers that determine the decision of stakeholders who are involved in the implementation of the revised guideline*. Utrecht: Clinical Health Sciences, Nursing Science, Utrecht University; 2020.
8. Ista E, Heinen M, Huis A, et al. *WINK V&V: Wat Is Nodig voor implementatie van Kwaliteitsstandaarden voor Verpleegkundigen, Verzorgenden & Verpleegkundig specialisten?* Rotterdam2020.