

Bijlage 11

Literatuurlijst

Abrams, P., L. Cardozo, M. Fall, D. Griffiths, P. Rosier, U. Ulmsten, P. Van Kerrebroeck, A. Victor, A. Wein and S. Standardisation Sub-Committee of the International Continence (2003). "The standardisation of terminology in lower urinary tract function: report from the standardisation sub-committee of the International Continence Society." Urology **61**(1): 37-49.

Abrams, P. C., L.; Khoury, S.; Wein, A. (2013). Incontinence: 5th International Consultation on Incontinence 2013.

Abreu-Mendes, P., C. Martins-Silva, T. Antunes-Lopes and F. Cruz (2021). "Treatment of Non-neurogenic Lower Urinary Tract Symptoms-A Review of Key Publications from 2018 Onward." Eur Urol Focus **7**(6): 1438-1447.

ActiZ en Zorgthuisnl (2021). Algemene voorwaarden 2022.

Adamse, C. v. d. B., T. Factsheet urine incontinentie - Bekkenfysiotherapie bij urine incontinentie.

Albarqouni, L., S. Sanders, J. Clark, K. A. O. Tikkinen and P. Glasziou (2021). "Self-Management for Men With Lower Urinary Tract Symptoms: A Systematic Review and Meta-Analysis." Ann Fam Med **19**(2): 157-167.

Alhasso, A. A., J. McKinlay, K. Patrick and L. Stewart (2006). "Anticholinergic drugs versus non-drug active therapies for overactive bladder syndrome in adults." Cochrane Database Syst Rev(4): Cd003193.

Andy, U. U., J. E. Jelovsek, B. Carper, I. Meyer, K. Y. Dyer, R. G. Rogers, D. Mazloomdoost, N. B. Korbly, J. C. Sassani and M. G. Gantz (2020). "Impact of treatment for fecal incontinence on constipation symptoms." Am J Obstet Gynecol **222**(6): 590.e591-590.e598.

Assmann, S. L., D. Keszthelyi, J. Kleijnen, F. Anastasiou, E. Bradshaw, A. E. Brannigan, E. V. Carrington, G. Chiarioni, L. D. A. Ebben, M. A. Gladman, Y. Maeda, J. Melenhorst, G. Milito, J. W. M. Muris, J. Orhalmi, D. Pohl, Y. Tillotson, M. Rydningen, S. Svagzdys, C. J. Vaizey and S. O. Breukink (2022). "Guideline for the diagnosis and treatment of Faecal Incontinence-A UEG/ESCP/ESNM/ESPCG collaboration." United European Gastroenterol J **10**(3): 251-286.

Auteurs niet vermeld "Male External Catheter and Intermittent Catheter Knowledge Base." <https://www.biorelief.com/catheters-for-urinary-incontinence/>.

Averch, T. D., J. Stoffel, H. B. Goldman, T. L. Griebeling, L. Lerner, D. K. Newman and A. C. Peterson (2015). "AUA White Paper on Catheter Associated Urinary Tract Infections: Definitions and Significance in the Urological Patient." Urol Pract **2**(6): 321-328.

Banerji, J. S., S. Shah and N. S. Kekre (2008). "Fibroepithelial polyp of the prepuce: A rare complication of long-term condom catheter usage." Indian J Urol **24**(2): 263-264.

Bartlett, L., K. Sloots, M. Nowak and Y. H. Ho (2015). "Supplementary home biofeedback improves quality of life in younger patients with fecal incontinence." J Clin Gastroenterol **49**(5): 419-428.

Bath, J., M. Fader and L. Petterson (1999). "Urinary sheaths and bags making an informed choice." Primary Health Care **9**(7): 17-23.

Behrens, J. L., G. (2004). Evidence-based nursing. Vertrauensbildende Entzauberung der "Wissenschaft". Qualitative und quantitative Methoden bei täglichen Pflegeentscheidungen, Verlag Hans Huber.

Bliss, D. Z., K. Savik, H.-J. G. Jung, R. Whitebird, A. Lowry and X. Sheng (2014). "Dietary Fiber Supplementation for Fecal Incontinence: A Randomized Clinical Trial." Research in Nursing & Health **37**(5): 367-378.

Blok, B. P., J.; Castro Diaz, D.; del Popolo, G.; Groen, J.; Gross, T.; Hamid, R.; Karsenty, G.; Kessler, T.M.; Schneider, M.P.; 't Hoen, L. (2015). Guidelines on Neuro-Urology.

- Brodie, A. (2006). "A guide to the management of one-piece urinary sheaths." Nurs Times **102**(9): 49, 51.
- Brown, H. W., M. E. Wise, T. J. LeCaire, E. J. Braun, A. M. Drewry, E. M. Buttigieg, M. Macco, J. H. Barnett, A. Bersch, P. E. Peppard, K. M. C. Malecki, F. J. Nieto and J. E. Mahoney (2020). "Reasons Behind Preferences for Community-Based Continence Promotion." Female Pelvic Med Reconstr Surg **26**(7): 425-430.
- Bunge, E. and J. Eeuwijk (2018). "Knelpunten bij de V&VN richtlijn 'Urine-incontinentie bij kwetsbare ouderen'."
- Burgio, K. L., S. R. Kraus, T. M. Johnson II, A. D. Markland, C. P. Vaughan, P. Li, D. T. Redden, P. S. Goode and T. M. Johnson, 2nd (2020). "Effectiveness of Combined Behavioral and Drug Therapy for Overactive Bladder Symptoms in Men: A Randomized Clinical Trial." JAMA Internal Medicine **180**(3): 411-419.
- Burkhard, F. C. B., J.L.H.R; Cruz, F.; Lemack, G.E.; Nambiar, A.K.; Thiruchelvam, N.; Tubaro, A. (2020). EAU Guidelines on Urinary Incontinence in Adults. Edn. presented at the EAU Annual Congress Amsterdam.
- Bycroft, J., R. Hamid and P. J. Shah (2003). "Penile erosion in spinal cord injury--an important lesson." Spinal Cord **41**(11): 643-644.
- Byers, P. H. L., C.H.; McCray, G.; et al (1992). "Efficacy of condom catheters in controlling incontinence odor." Appl Nurs Res **5**: 186-187.
- Chartier-Kastler, E., P. Ballanger, J. Petit, M. Fourmarier, S. Bart, E. Ragni-Ghazarossian, A. Ruffion, L. Le Normand and P. Costa (2011). "Randomized, crossover study evaluating patient preference and the impact on quality of life of urisheaths vs absorbent products in incontinent men." BJU Int **108**(2): 241-247.
- Chew, S. S., R. Sundaraj and W. Adams (2011). "Sacral transcutaneous electrical nerve stimulation in the treatment of idiopathic faecal incontinence." Colorectal Dis **13**(5): 567-571.
- Choi, H., M. H. Palmer and J. Park (2007). "Meta-analysis of pelvic floor muscle training: randomized controlled trials in incontinent women." Nurs Res **56**(4): 226-234.
- Cottenden, A. B., D.Z.; Buckley, B.; Fader, M.; Getliffe, K.; Paterson, J.; Pieters, R.; Wilde, M. (2013). Management using continence products: 1519-1642.
- Dahlgren Meml Libr Georg Univ USA. (2015). "Dahlgren Memorial Library's Research Guides. Evidence-based Medicine Resource Guide.", from <http://researchguides.dml.georgetown.edu/ebmclinicalquestions>.
- Doherty, W. (2001). "Urinary sheaths: assessment, prescription and evaluation." Br J Community Nurs **6**(2): 80-85.
- Du Moulin, M. F. M. T. (2008). "Urinary incontinence in primary care: diagnosis and interventions."
- Ebell, M. H., T. Radke and J. Gardner (2014). "A systematic review of the efficacy and safety of desmopressin for nocturia in adults." J Urol **192**(3): 829-835.
- Esclarin De Ruz, A., E. Garcia Leoni and R. Herruzo Cabrera (2000). "Epidemiology and risk factors for urinary tract infection in patients with spinal cord injury." J Urol **164**(4): 1285-1289.
- Fader, M. (2003). "Review of current technologies for urinary incontinence: strengths and limitations." Proc Inst Mech Eng H **217**(4): 233-241.
- Fallon, A., J. Westaway and C. Moloney (2008). "A systematic review of psychometric evidence and expert opinion regarding the assessment of faecal incontinence in older community-dwelling adults." Int J Evid Based Healthc **6**(2): 225-259.
- Federatie Medische Specialisten (FMS) (2014). Urine-incontinentie (UI) 2e- en 3e-lijnszorg.
- Gammack, J. K. (2002). "Use and management of chronic urinary catheters in long-term care: much controversy, little consensus." J Am Med Dir Assoc **3**(3): 162-168.
- Geng, V., H. Cobussen-Boekhorst, H. Lurvink, I. Pearce and S. Vahr (2016). Male external catheters in adults—Urinary catheter management-Evidence-based Guidelines for Best Practice in Urological Health Care, ed. EAoU Nurses. Vol. Edn. presented at the 17th International EAUN Meeting, Munich.

- Geng, V. C.-B., H.; Farrell, J.; Gea-Sánchez, M.; Pearce, I.; Schwennesen, T.; Vahr, S.; Vandewinkel, C. (2012). Katheterisatie: Urethrale en suprapubische verblijfskatheters bij volwassenen - Evidencebased richtlijnen voor best practice in de urologische gezondheidszorg.
- Grabe, M. B.-J., T.E.; Çek, M.; Naber, K.G.; Pickard, T.S.; Bartoletti, R.; Tenke, P.; Wagenlehner, F.; Wulft, B. (2015). EAU Guidelines on Urological Infections.
- Grigoryan, L., M. S. Abers, Q. F. Kizilbash, N. J. Petersen and B. W. Trautner (2014). "A comparison of the microbiologic profile of indwelling versus external urinary catheters." Am J Infect Control **42**(6): 682-684.
- Hakimi, Z., J. Nazir, C. McCrea, M. Berling, F. Fatoye, B. Ramos and A. Wagg (2017). "Clinical and economic impact of mirabegron compared with antimuscarinics for the treatment of overactive bladder in Canada." J Med Econ **20**(6): 614-622.
- Halfens, R. J. G., E. Meesterberends, J. C. L. Neyens, A. A. L. M. Rondas, S. Rijcken, S. Wolters and J. M. G. A. Schols (2016). "Landelijke prevalentietmeting zorgproblemen rapportage resultaten 2015." Maastricht University: Maastricht, The Netherlands.
- Harmon, C. B., S. M. Connolly and T. R. Larson (1995). "Condom-Related Allergic Contact Dermatitis." Journal of Urology **153**(4): 1227-1228.
- Hay-Smith, E. J. and C. Dumoulin (2006). "Pelvic floor muscle training versus no treatment, or inactive control treatments, for urinary incontinence in women." Cochrane Database Syst Rev(1): Cd005654.
- Haylen, B. T., D. De Ridder, R. M. Freeman, S. E. Swift, B. Berghmans, J. Lee, A. Monga, E. Petri, D. E. Rizk and P. K. Sand (2010). "An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for female pelvic floor dysfunction." Neurourology and Urodynamics: Official Journal of the International Continence Society **29**(1): 4-20.
- Haylen, B. T., C. F. Maher, M. D. Barber, S. Camargo, V. Dandolu, A. Digesu, H. B. Goldman, M. Huser, A. L. Milani and P. A. Moran (2016). "An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for female pelvic organ prolapse (POP)." Neurourology and urodynamics **35**(2): 137-168.
- Hendriks, E. J., A. T. Bernards, J. B. Staal, H. C. de Vet and R. A. de Bie (2008). "Factorial validity and internal consistency of the PRAFAB questionnaire in women with stress urinary incontinence." BMC Urol **8**: 1.
- Hodgkinson, B., K. Josephs, E. Leira, R. Synnott and D. Hegney (2008). "A systematic review of the effect of educational interventions for urinary and faecal incontinence by health care staff/carers/clients in aged care, on level of knowledge, frequency of incontinence episodes and hours spent on the management of incontinence episodes." JBI Library of Systematic Reviews **6**(1): 1-66.
- Hsu, F. C., C. E. Weeks, S. S. Selph, I. Blazina, R. S. Holmes and M. S. McDonagh (2019). "Updating the evidence on drugs to treat overactive bladder: a systematic review." Int Urogynecol J **30**(10): 1603-1617.
- Huang, C. K., C. C. Lin and A. T. Lin (2020). "Effectiveness of antimuscarinics and a beta-3 adrenoceptor agonist in patients with overactive bladder in a real-world setting." Sci Rep **10**(1): 11355.
- Hunter, K. F., C. M. Glazener and K. N. Moore (2007). "Conservative management for postprostatectomy urinary incontinence." Cochrane Database Syst Rev(2): Cd001843.
- Imamura, M., P. Abrams, C. Bain, B. Buckley, L. Cardozo, J. Cody, J. Cook, S. Eustice, C. Glazener, A. Grant, J. Hay-Smith, J. Hislop, D. Jenkinson, M. Kilonzo, G. Nabi, J. N'Dow, R. Pickard, L. Tement, S. Wallace, J. Wardle, S. Zhu and L. Vale (2010). "Systematic review and economic modelling of the effectiveness and cost-effectiveness of non-surgical treatments for women with stress urinary incontinence." Health Technol Assess **14**(40): 1-188, iii-iv.
- International Continence Society (ICS) (2009). Incontinence - 4th Edition 2009.
- International Continence Society (ICS) (2013). Incontinence - 5th Edition 2013.
- International Continence Society (ICS) (2017). Incontinence - 6th Edition 2017.
- Kawoosa, N. U. (2011). "Isolated gangrene of the penis in a paraplegic patient secondary to a condom catheter." Indian J Surg **73**(4): 304-306.

- Komesu, Y. M., R. M. Schrader, R. G. Rogers, R. E. Sapien, A. R. Mayer and L. H. Ketai (2020). "Hypnotherapy or medications: a randomized noninferiority trial in urgency urinary incontinent women." *Am J Obstet Gynecol* **222**(2): 159 e151-159 e116.
- Koninklijk Nederlands Genootschap voor Fysiotherapie (KNGF) (2013). "Anale incontinentie: evidence statement."
- Koninklijk Nederlands Genootschap voor Fysiotherapie (KNGF) (2017). "Richtlijn stress (urine)incontinentie."
- Koninklijk Nederlands Genootschap voor Fysiotherapie (KNGF). (2020). "Bekkenfysiotherapie." Retrieved 20 september, 2023, from <https://www.kngf.nl/article/vak-en-kwaliteit/specialisatie/beroepsinhoudelijk-verenigingen/bekkenfysiotherapie>.
- Lam, T. B., M. I. Omar, E. Fisher, K. Gillies and S. MacLennan (2014). "Types of indwelling urethral catheters for short-term catheterisation in hospitalised adults." *Cochrane Database Syst Rev*(9): CD004013.
- Landelijk Expertisecentrum Verpleging & Verzorging (LEVV) (2010). Richtlijn Urine-incontinentie bij kwetsbare ouderen.
- Latour, K., A. Plüddemann, M. Thompson, B. Catry, C. P. Price, C. Heneghan and F. Buntinx (2013). "Diagnostic technology: alternative sampling methods for collection of urine specimens in older adults." *Family Medicine and Community Health* **1**(2): 43-49.
- Latthe, P. M., R. Foon and K. Khan (2008). "Nonsurgical treatment of stress urinary incontinence (SUI): grading of evidence in systematic reviews." *BJOG : An International Journal of Obstetrics and Gynaecology* **115**(4): 435-444.
- Lehmann, J., I. Schreyer, D. Riedl, M. Tschuggnall, J. M. Giesinger, M. Ninkovic, M. Huth, I. Kronberger, G. Rumpold and B. Holzner (2022). "Usability evaluation of the Computer-Based Health Evaluation System (CHES) eDiary for patients with faecal incontinence: a pilot study." *BMC Med Inform Decis Mak* **22**(1): 81.
- Lozano-Ortega, G., D. Walker, B. Rogula, A. Deighton, K. Johnston, N. Hawkins and R. Dmochowski (2019). "The Relative Efficacy and Safety of Mirabegron and OnabotulinumtoxinA in Patients With Overactive Bladder who Have Previously Been Managed With an Antimuscarinic: A Network Meta-analysis." *Urology* **127**: 1-8.
- Lozano-Ortega, G., D. R. Walker, K. Johnston, A. Mickle, S. Harrigan, B. Rogula, R. M. Kristy, J. C. Hairston and C. R. Schermer (2020). "Comparative Safety and Efficacy of Treatments for Overactive Bladder Among Older Adults: A Network Meta-analysis." *Drugs Aging* **37**(11): 801-816.
- Lucas, M. G. B., D.; Berghmans, L.C.; Bosch, J.L.H.R.; Burkhard, F.C.; Cruz, F.; Nambiar, A.K.; Nilsson, C.G.; Tubaro, A.; Pickard; R.S. (2015). EAU Guidelines on Urinary Incontinence, European Association of Urology.
- Lukacz, E. S., M. M. Segall and S. D. Wexner (2015). "Evaluation of an Anal Insert Device for the Conservative Management of Fecal Incontinence." *Dis Colon Rectum* **58**(9): 892-898.
- Macaulay, M., J. Broadbridge, H. Gage, P. Williams, B. Birch, K. N. Moore, A. Cottenden and M. J. Fader (2015). "A trial of devices for urinary incontinence after treatment for prostate cancer." *BJU Int* **116**(3): 432-442.
- MacDonald, R., H. A. Fink, C. Huckabay, M. Monga and T. J. Wilt (2007). "Pelvic floor muscle training to improve urinary incontinence after radical prostatectomy: a systematic review of effectiveness." *BJU Int* **100**(1): 76-81.
- Milanesi, N., G. Bianchini, A. M. D'Erme and S. Francalanci (2013). "Allergic reaction to condom catheter for bladder incontinence." *Contact Dermatitis* **69**(3): 182-183.
- Ministry of Health (MOH) Singapore (2003). *Nursing Management of Patients with Urinary Incontinence*
- Nahon, I., G. Dorey, G. Waddington and R. Adams (2006). "Systematic review of the treatment of post-prostatectomy incontinence." *Urol Nurs* **26**(6): 461-475, 482.

- National Institute for Health and Clinical Excellence (NICE). (2006). "Urinary Incontinence, The management of urinary incontinence in women." NICE Clinical Guideline (CG40) Retrieved May 26, 2023, from <https://www.nice.org.uk/Guidance/CG40>.
- National Institute for Health and Clinical Excellence (NICE) (2013). Urinary incontinence in women: the management of urinary incontinence in women.
- National Institute for Health and Clinical Excellence (NICE) (2018). Faecal incontinence - The management of faecal incontinence in adults, the National Collaborating Centre for Acute Care at The Royal College of Surgeons of England, 35-43 Lincoln's Inn Fields, London, WC2A 3PE.
- National Institute for Health and Clinical Excellence (NICE) (2019). Urinary incontinence and pelvic organ prolapse in women: management.
- Nazir, J., M. Berling, C. McCrea, F. Fatoye, S. Bowditch, Z. Hakimi and A. Wagg (2017). "Economic Impact of Mirabegron Versus Antimuscarinics for the Treatment of Overactive Bladder in the UK." Pharmacoecon Open **1**(1): 25-36.
- Nederlands Huisartsen Genootschap (NHG) (2015). "NHG-Standaard Incontinentie voor urine bij vrouwen."
- Nederlandse Vereniging voor Obstetrie en Gynaecologie (NVOG) (2011). "Richtlijn Urine-Incontinentie (UI) bij vrouwen."
- Nicolle, L. E., G. K. Harding, J. Kennedy, M. McIntyre, F. Aoki and D. Murray (1988). "Urine specimen collection with external devices for diagnosis of bacteriuria in elderly incontinent men." J Clin Microbiol **26**(6): 1115-1119.
- OCEBM Levels of Evidence Working Group*. (2011). "The Oxford 2011 Levels of Evidence." Retrieved 20 september, 2023, from <http://www.cebm.net/index.aspx?o=5653>.
- Omar, M. I. and C. E. Alexander (2013). "Drug treatment for faecal incontinence in adults." Cochrane Database Syst Rev **2013**(6): Cd002116.
- Ostaszkiwicz, J., L. Johnston and B. Roe (2004). "Habit retraining for the management of urinary incontinence in adults." Cochrane Database Syst Rev **2004**(2): Cd002801.
- Ostaszkiwicz, J., L. Johnston and B. Roe (2004). "Timed voiding for the management of urinary incontinence in adults." Cochrane Database Syst Rev **2004**(1): Cd002802.
- Ostaszkiwicz, J., B. Roe and L. Johnston (2005). "Effects of timed voiding for the management of urinary incontinence in adults: systematic review." J Adv Nurs **52**(4): 420-431.
- Ouslander, J. G., B. A. Greengold, F. J. Silverblatt and J. P. Garcia (1987). "An accurate method to obtain urine for culture in men with external catheters." Arch Intern Med **147**(2): 286-288.
- Oxman, A. D. and G. H. Guyatt (1991). "Validation of an index of the quality of review articles." J Clin Epidemiol **44**(11): 1271-1278.
- Ozkan, H. S., S. Irkoren and N. Sivrioglu (2015). "Penile strangulation and necrosis due to condom catheter." Int Wound J **12**(3): 248-249.
- Palmero Marti, J. L., M. A. Bonillo Garcia, J. J. Pacheco Bru, J. M. Alapont Alacreu, L. Garcia Reboll and J. F. Jimenez Cruz (2003). "[Necrosis of the skin of the penis as a complication of the use of a urine collector]." Actas Urol Esp **27**(2): 155-158.
- Paquette, I. M., M. G. Varma, A. M. Kaiser, S. R. Steele and J. F. Rafferty (2015). "The American Society of Colon and Rectal Surgeons' Clinical Practice Guideline for the Treatment of Fecal Incontinence." Dis Colon Rectum **58**(7): 623-636.
- Pascoe, G. (2001). "Transfix: a new range of all-silicone male incontinence sheaths." Br J Community Nurs **6**(6): 313-316.
- Pinedo, G., E. García, A. J. Zárate, F. León, F. Bellolio, M. E. Molina, P. Viviani and A. Zúñiga (2009). "Are topical oestrogens useful in faecal incontinence? Double-blind randomized trial." Colorectal Dis **11**(4): 390-393.
- Pomfret, I. (2000). "Urinary continence management - penile sheaths." J Community Nurs.
- Pomfret, I. (2003). "Back to basics: urinary sheaths." Journal of Community Nursing **17**(10): 22-26.

- Potter, J. (2007). "Male urinary incontinence - could penile sheaths be the answer?" J Community Nurs(21): 40-42.
- Pratt, R. J., C. M. Pellowe, J. A. Wilson, H. P. Loveday, P. J. Harper, S. R. Jones, C. McDougall and M. H. Wilcox (2007). "epic2: National evidence-based guidelines for preventing healthcare-associated infections in NHS hospitals in England." J Hosp Infect **65 Suppl 1**: S1-64.
- Registered Nurses' Association of Ontario (RNAO) (2005). Promoting continence using prompted voiding.
- Ribas, Y. and A. Muñoz-Duyos (2018). "Conservative treatment of severe defecatory urgency and fecal incontinence: minor strategies with major impact." Tech Coloproctol **22**(9): 673-682.
- Richter, H. E., G. Dunivan, H. W. Brown, U. Andy, K. Y. Dyer, C. Rardin, T. Muir, S. McNevin, I. Paquette, R. E. Gutman, L. Quiroz and J. Wu (2019). "A 12-Month Clinical Durability of Effectiveness and Safety Evaluation of a Vaginal Bowel Control System for the Nonsurgical Treatment of Fecal Incontinence." Female Pelvic Med Reconstr Surg **25**(2): 113-119.
- Riemsma, R., S. Hagen, R. Kirschner-Hermanns, C. Norton, H. Wijk, K.-E. Andersson, C. Chapple, J. Spinks, A. Wagg, E. Hutt, K. Misso, S. Deshpande, J. Kleijnen and I. Milsom (2017). "Can incontinence be cured? A systematic review of cure rates." BMC Medicine **15**: 1-11.
- Robinson, J. (2006). "Continence: sizing and fitting a penile sheath." Br J Community Nurs **11**(10): 420-427.
- Roe, B., J. Ostaszkievicz, J. Milne and S. Wallace (2007). "Systematic reviews of bladder training and voiding programmes in adults: a synopsis of findings from data analysis and outcomes using metastudy techniques." J Adv Nurs **57**(1): 15-31.
- Rogers, R. G., V. W. Sung, E. S. Lukacz, P. Fairchild, L. A. Arya, M. D. Barber, A. D. Markland, N. Y. Siddiqui and C. M. Bann (2020). "Accidental Bowel Leakage Evaluation: A New Patient-Centered Validated Measure of Accidental Bowel Leakage Symptoms in Women." Dis Colon Rectum **63**(5): 668-677.
- Saint, S., S. R. Kaufman, M. A. Rogers, P. D. Baker, K. Ossenkop and B. A. Lipsky (2006). "Condom versus indwelling urinary catheters: a randomized trial." J Am Geriatr Soc **54**(7): 1055-1061.
- Samuelsson, E., J. Odeberg, K. Stenzelius, U. Molander, M. Hammarström, K. Franzen, G. Andersson and P. Midlöv (2015). "Effect of pharmacological treatment for urinary incontinence in the elderly and frail elderly: A systematic review." Geriatr Gerontol Int **15**(5): 521-534.
- Sanson, J., G. Hawthorne, G. Fleming and N. Marosszeky (2013). "The revised faecal incontinence scale: a clinical validation of a new, short measure for assessment and outcomes evaluation." Dis Colon Rectum **56**(5): 652-659.
- Scottish Intercollegiate Guidelines Network (SIGN) (2004). Management of Urinary Incontinence in Primary Care.
- Shamliyan, T. A., R. L. Kane, J. Wyman and T. J. Wilt (2008). "Systematic review: randomized, controlled trials of nonsurgical treatments for urinary incontinence in women." Ann Intern Med **148**(6): 459-473.
- Smart, C. (2014). "Urinary sheaths for male incontinence." Br J Nurs **23**(12): 650, 652.
- Teunissen, T. A., A. de Jonge, C. van Weel and A. L. Lagro-Janssen (2004). "Treating urinary incontinence in the elderly--conservative therapies that work: a systematic review." J Fam Pract **53**(1): 25-30, 32.
- Thomas, L. H., S. Cross, J. Barrett, B. French, M. Leathley, C. J. Sutton and C. Watkins (2008). "Treatment of urinary incontinence after stroke in adults." Cochrane Database Syst Rev **2008**(1): Cd004462.
- Tindell, K., R. Garfinkel, E. Abu-Haydar, R. Ahn, T. F. Burke, K. Conn and M. Eckardt (2013). "Uterine balloon tamponade for the treatment of postpartum haemorrhage in resource-poor settings: a systematic review." BJOG **120**(1): 5-14.
- Tjandra, J. J., M. K. Chan, C. H. Yeh and C. Murray-Green (2008). "Sacral nerve stimulation is more effective than optimal medical therapy for severe fecal incontinence: a randomized, controlled study." Dis Colon Rectum **51**(5): 494-502.

Udri, G. S., M. (2002). "Tutorial for continence systems." 1.

Vahr, S. C.-B., H.; Eikenboom, J.; Geng, V.; Holroyd, S.; Lester, M.; Pearce, I.; Vandewinkel, C. (2013). Intermitterend urethraal katheteriseren bij volwassenen en intermitterend urethraal dilateren bij volwassenen - Evidencebased richtlijnen voor best practice in de urologische gezondheidszorg.

Vaidyanathan, S., F. Selmi, K. A. Abraham, P. Hughes, G. Singh and B. Soni (2012). "Hydronephrosis and renal failure following inadequate management of neuropathic bladder in a patient with spinal cord injury: Case report of a preventable complication." Patient Saf Surg **6**(1): 22.

Verenso (2018). "Richtlijn Urineweginfecties bij kwetsbare ouderen."

Verkaik, R., C. Schröder-Baars, M. Crijns and H.-J. Mulder (2012). "Implementatie van de richtlijn 'Urine-incontinentie bij kwetsbare ouderen'."

Verpleegkundigen & Verzorgenden Nederland (V&VN) (2010). Richtlijn urine-incontinentie bij kwetsbare ouderen.

Wallace, S. A., B. Roe, K. Williams and M. Palmer (2004). "Bladder training for urinary incontinence in adults." Cochrane Database Syst Rev **2004**(1): Cd001308.

Wani, M. M., M. I. Sheikh, T. Bhat, Z. Bhat and A. Bhat (2021). "Comparison of antimuscarinic drugs to beta adrenergic agonists in overactive bladder: A literary review." Curr Urol **15**(3): 153-160.

Werkgroep Infectiepreventie (WIP) (2016). "WIP-richtlijn urinelozing en stoelgang."

Yan, H., A. Treacy, G. Yousef and R. Stewart (2013). "Giant fibroepithelial polyp of the glans penis not associated with condom-catheter use: A case report and literature review." Can Urol Assoc J **7**(9-10): E621-624.

Yoshida, M., M. Takeda, M. Gotoh, O. Yokoyama, H. Kakizaki, S. Takahashi, N. Masumori, S. Nagai and K. Minemura (2021). "Cardiovascular safety of vibegron, a new β 3-adrenoceptor agonist, in older patients with overactive bladder: Post-hoc analysis of a randomized, placebo-controlled, double-blind comparative phase 3 study." Neurourol Urodyn **40**(6): 1651-1660.

Zachariou, A., M. Filiponi, A. Kaltsas, F. Dimitriadis, I. Champilomatis, A. Paliouras, P. Tsounapi, C. Mamoulakis, A. Takenaka and N. Sofikitis (2021). "Mirabegron Alleviates the Degree of Burden Experienced by Caregivers of Older Females with Mixed or Urge Incontinence: A Prospective Study." Clin Interv Aging **16**: 291-299.

Zimakoff, J., D. J. Stickler, B. Pontoppidan and S. O. Larsen (1996). "Bladder management and urinary tract infections in Danish hospitals, nursing homes, and home care: a national prevalence study." Infect Control Hosp Epidemiol **17**(4): 215-221.

Zorginstituut Nederland (2018). "Module Continentie Hulpmiddelen."

Zorginstituut Nederland. (NA). "Farmaceutisch Kompas: Urgency-incontinentie." Retrieved 28 september, 2023, from https://www.farmacotherapieutischkompas.nl/bladeren/indicatieteksten/urgency_incontinentie.

Zyczynski, H. M., H. E. Richter, V. W. Sung, L. A. Arya, E. S. Lukacz, A. G. Visco, D. D. Rahn, B. Carper, D. Mazloomdoost and M. G. Gantz (2020). "Performance, acceptability, and validation of a phone application bowel diary." Neurourol Urodyn **39**(8): 2480-2489.