

Bijlage 12

Literatuurlijst

Bronnen Uitgangsvraag 1

- Clark, N. M., Nelson, B. W., Valerio, M. A., Gong, Z. M., Taylor-Fishwick, J. C., & Fletcher, M. (2009). Consideration of shared decision making in nursing: a review of clinicians' perceptions and interventions. *The open nursing journal*, 3, 65-75. doi:10.2174/1874434600903010065
- Daniëls, R., Vogelzang, F., den Boer, J., & de Booy, M. (2016). *Gezamenlijke Besluitvorming over doelen en zorgafspraken*. Retrieved from https://www.nhg.org/sites/default/files/content/nhg_org/uploads/handreiking_gezamenlijke_besluitvorming_boek_2017_web.pdf
- Davis, R., Ziolkowski, M. K., & Velkamp, A. (2017). Everyday Decision Making in Individuals with Early-Stage Alzheimer's Disease: An Integrative Review of the Literature. *Res Gerontol Nurs*, 10(5), 240-247. doi:10.3928/19404921-20170831-05
- Elwyn, G., Frosch, D., Thomson, R., Joseph-Williams, N., Lloyd, A., Kinnersley, P., . . . Barry, M. (2012). Shared decision making: a model for clinical practice. *J Gen Intern Med*, 27(10), 1361-1367. doi:10.1007/s11606-012-2077-6
- Friesen-Storms, J. H., Bours, G. J., van der Weijden, T., & Beurskens, A. J. (2015). Shared decision making in chronic care in the context of evidence based practice in nursing. *Int J Nurs Stud*, 52(1), 393-402. doi:10.1016/j.ijnurstu.2014.06.012
- Harder, C. (2020). *Handreiking Verpleegkundig Proces bij het indiceren en organiseren van verpleging en verzorging in de eigen omgeving*. Retrieved from <https://www.venvn.nl/media/x3enwye5/handreiking-verpleegkundig-proces-jan-2020-def.pdf>
- IQ Healthcare. (2013). Tool Kennislacunes in richtlijnen. *Kennisbank richtlijnontwikkeling; Ondersteunende materialen bij het ontwikkelen van richtlijnen*. Retrieved from <https://www.zorginzicht.nl/binaries/content/assets/zorginzicht/ontwikkeltools-ontwikkelen/Kennislacunes+in+richtlijnen.pdf>
- Tobiano, G., Marshall, A., Bucknall, T., & Chaboyer, W. (2015). Patient participation in nursing care on medical wards: An integrative review. *Int J Nurs Stud*, 52(6), 1107-1120. doi:10.1016/j.ijnurstu.2015.02.010
- Truglio-Londrigan, M., & Slyer, J. T. (2018). Shared Decision-Making for Nursing Practice: An Integrative Review. *The open nursing journal*, 12, 1-14. doi:10.2174/1874434601812010001
- V&VN. (2020). Richtlijn Mantelzorg

Bronnen Uitgangsvraag 2:

- Boers, M., Jacobs, J. W. G., van Vliet Vlieland, T. P. M., & van Riel, P. L. C. M. (2007). Consensus Dutch health assessment questionnaire. *Annals of the rheumatic diseases*, 66(1), 132-133. doi:10.1136/ard.2006.059451
- Bouwstra, H., Smit, E. B., Wattel, E. M., van der Wouden, J. C., Hertogh, C. M. P. M., Terluin, B., & Terwee, C. B. (2019). Measurement Properties of the Barthel Index in Geriatric Rehabilitation. *Journal of the American Medical Directors Association*, 20(4), 420-425.e421. doi:<https://doi.org/10.1016/j.jamda.2018.09.033>
- Collin, C., Wade, D. T., Davies, S., & Horne, V. (1988). The Barthel ADL Index: a reliability study. *Int Disabil Stud*, 10(2), 61-63. doi:10.3109/09638288809164103
- Cuperus, N., Mahler, E. A., Vliet Vlieland, T. P., Hoozeboom, T. J., & van den Ende, C. H. (2015). Measurement properties of the Health Assessment Questionnaire Disability Index for

- generalized osteoarthritis. *Rheumatology (Oxford)*, 54(5), 821-826.
doi:10.1093/rheumatology/keu386
- de Haan, R., Limburg, M., Schuling, J., Broeshart, J., Jonkers, L., & van Zuylen, P. (1993). Klinimetrische evaluatie van de Barthel Index: een maat voor beperkingen in het dagelijks functioneren. *Nederlands tijdschrift voor geneeskunde*, 137(18), 917-921.
- Duffy, L., Gajree, S., Langhorne, P., Stott, D. J., & Quinn, T. J. (2013). Reliability (inter-rater agreement) of the Barthel Index for assessment of stroke survivors: systematic review and meta-analysis. *Stroke*, 44(2), 462-468. doi:10.1161/strokeaha.112.678615
- Fries, J. F., Spitz, P., Kraines, R. G., & Holman, H. R. (1980). Measurement of patient outcome in arthritis. *Arthritis Rheum*, 23(2), 137-145. doi:10.1002/art.1780230202
- Hartigan, I. (2007). A comparative review of the Katz ADL and the Barthel Index in assessing the activities of daily living of older people. *International journal of older people nursing*, 2(3), 204-212.
- Hopman-Rock, M., van Hirtum, H., de Vreede, P., & Freiburger, E. (2019). Activities of daily living in older community-dwelling persons: a systematic review of psychometric properties of instruments. *Aging Clin Exp Res*, 31(7), 917-925. doi:10.1007/s40520-018-1034-6
- Hsueh, I.-P., Lee, M.-M., & Hsieh, C.-L. (2001). Psychometric characteristics of the Barthel activities of daily living index in stroke patients. *Journal of the Formosan Medical Association*, 100(8), 526-532.
- Katz, S., Ford, A. B., Moskowitz, R. W., Jackson, B. A., & Jaffe, M. W. (1963). STUDIES OF ILLNESS IN THE AGED. THE INDEX OF ADL: A STANDARDIZED MEASURE OF BIOLOGICAL AND PSYCHOSOCIAL FUNCTION. *Jama*, 185, 914-919. doi:10.1001/jama.1963.03060120024016
- Kempen, G. I., & Suurmeijer, T. P. (1990). The development of a hierarchical polychotomous ADL-IADL scale for noninstitutionalized elders. *Gerontologist*, 30(4), 497-502.
doi:10.1093/geront/30.4.497
- Laan, W., Zuithoff, N. P., Drubbel, I., Bleijenberg, N., Numans, M. E., de Wit, N. J., & Schuurmans, M. J. (2014). Validity and reliability of the Katz-15 scale to measure unfavorable health outcomes in community-dwelling older people. *J Nutr Health Aging*, 18(9), 848-854.
doi:10.1007/s12603-014-0558-5
- Lawton, M. P., & Brody, E. M. (1969). Assessment of Older People: Self-Maintaining and Instrumental Activities of Daily Living1. *The Gerontologist*, 9(3_Part_1), 179-186.
doi:10.1093/geront/9.3_Part_1.179
- Mahoney, F. I., & Barthel, D. W. (1965). Functional evaluation: the Barthel Index: a simple index of independence useful in scoring improvement in the rehabilitation of the chronically ill. *Maryland state medical journal*.
- Metzelthin, S. F., Daniels, R., van Rossum, E., de Witte, L. P., van den Heuvel, W. J. A., & Kempen, G. I. J. M. (2011). Psychometrische eigenschappen van drie screeningsinstrumenten voor kwetsbaarheid bij thuiswonende ouderen. *Tijdschrift voor Gerontologie en Geriatrie*, 42(3), 120-130. doi:10.1007/s12439-011-0022-5
- Mokkink, L. B., Prinsen, C., Patrick, D. L., Alonso, J., Bouter, L. M., De Vet, H., . . . Mokkink, L. (2018). COSMIN methodology for systematic reviews of patient-reported outcome measures (PROMs). *User manual*, 78(1).
- Oude Voshaar, M. A. H., ten Klooster, P. M., Taal, E., & van de Laar, M. A. F. J. (2011). Measurement properties of physical function scales validated for use in patients with rheumatoid arthritis: A systematic review of the literature. *Health and Quality of Life Outcomes*, 9(1), 99. doi:10.1186/1477-7525-9-99
- Pashmdarfard, M., & Azad, A. (2020). Assessment tools to evaluate Activities of Daily Living (ADL) and Instrumental Activities of Daily Living (IADL) in older adults: A systematic review. *Medical journal of the Islamic Republic of Iran*, 34, 33-33. doi:10.34171/mjiri.34.33
- Post, M. W., Van Asbeck, F. W. A., Van Dijk, A. J., & Schrijvers, A. J. P. (1995). Nederlandse interviewversie van de Barthel-index onderzocht bij dwarslaesiepatiënten. *Nederlands tijdschrift voor geneeskunde*, 139, 1376-1376.

- Post, M. W., van de Port, I. G., Kap, B., & Berdenis van Berlekom, S. H. (2009). Development and validation of the Utrecht Scale for Evaluation of Clinical Rehabilitation (USER). *Clin Rehabil*, 23(10), 909-917. doi:10.1177/0269215509341524
- Post, M. W., Visser-Meily, J. M., & Gispens, L. S. (2002). Measuring nursing needs of stroke patients in clinical rehabilitation: a comparison of validity and sensitivity to change between the Northwick Park Dependency Score and the Barthel Index. *Clin Rehabil*, 16(2), 182-189. doi:10.1191/0269215502cr474oa
- Post, M. W., Willems, M., van de Port, I. G., van Berlekom, S. H., & de Jong, L. K. (2019). Handleiding USER.
- Prinsen, C. A., Mokkink, L. B., Bouter, L. M., Alonso, J., Patrick, D., de Vet, H., & Terwee, C. B. (2016). COSMIN guideline for systematic reviews of outcome measurement instruments. *Quality of Life Research*, 25, 21-21.
- Reijneveld, S. A., Spijker, J., & Dijkshoorn, H. (2007). Katz' ADL index assessed functional performance of Turkish, Moroccan, and Dutch elderly. *J Clin Epidemiol*, 60(4), 382-388. doi:10.1016/j.jclinepi.2006.02.022
- Stichting PDL. (2020). PDL-scorelijst Retrieved from <https://stichtingpdl.nl/download/3/downloads/771/pdl-scorelijst-2020>
- Suurmeijer, T. P., Doeglas, D. M., Moum, T., Briançon, S., Krol, B., Sanderman, R., . . . van den Heuvel, W. J. (1994). The Groningen Activity Restriction Scale for measuring disability: its utility in international comparisons. *American journal of public health*, 84(8), 1270-1273. doi:10.2105/ajph.84.8.1270
- Swinkels, R., Dijkstra, P. U., & Bouter, L. M. (2005). Reliability, validity and responsiveness of instruments to assess disabilities in personal care in patients with rheumatic disorders. A systematic review. *Clinical and experimental rheumatology*, 23(1), 71-79.
- Terwee, C. B., Bot, S. D., de Boer, M. R., van der Windt, D. A., Knol, D. L., Dekker, J., . . . de Vet, H. C. (2007). Quality criteria were proposed for measurement properties of health status questionnaires. *Journal of clinical epidemiology*, 60(1), 34-42.
- Thiessen, J., Stijn, A. H. J. M., Fengler, R. K. B., Post, M. W., & Visser-Meily, J. M. (2013). Gebruik USER in het verpleeghuis - Bruikbaarheid van de USER versus de barthelindex *Tijdschrift voor Ouderengeneeskunde* Retrieved from <https://www.kcrutrecht.nl/wp-content/uploads/2018/09/User-in-verpleeghuis-tijdschr-v-ouderengen-2013.pdf>
- van der Heijde, D. M., van Riel, P. L., & van de Putte, L. B. (1990). Sensitivity of a Dutch Health Assessment Questionnaire in a trial comparing hydroxychloroquine vs. sulphasalazine. *Scandinavian journal of rheumatology*, 19(6), 407-412. doi:10.3109/03009749009097629
- van Stuijvenberg, M., de Groot, A., & Smit, E. (2018). Utrechtse Schaal voor Evaluatie van Revalidatie in de Geriatrische Revalidatie Ervaringen van zorgmedewerkers en revalidanten Utrechtse Schaal voor Evaluatie van Revalidatie in de Geriatrische Revalidatie Ervaringen van zorgmedewerkers en revalidanten.
- V&VN. (2020b). Conceptrichtlijn: Verpleegkundige en Verzorgende Verslaglegging. Versie: 12-03-2020. Verkregen van <https://www.venvn.nl/media/sfjlfy44/concept-richtlijn-verslaglegging-versie-12-03-2020-iquhpdf.pdf>
- Wallace, M., & Shelkey, M. (2008). Monitoring functional status in hospitalized older adults. *Am J Nurs*, 108(4), 64-71; quiz 71-62. doi:10.1097/01.NAJ.0000314811.46029.3d

Bronnen Uitgangsvraag 3

- Alonso-Coello, P., Schünemann, H. J., Moberg, J., Brignardello-Petersen, R., Akl, E. A., Davoli, M., . . . Oxman, A. D. (2016). GRADE Evidence to Decision (EtD) frameworks: a systematic and transparent approach to making well informed healthcare choices. 1: Introduction. *BMJ*, 353, i2016. doi:10.1136/bmj.i2016

- Beerens, H. C., Zwakhalen, S. M., Verbeek, H., Ruwaard, D., & Hamers, J. P. (2013). Factors associated with quality of life of people with dementia in long-term care facilities: a systematic review. *Int J Nurs Stud*, 50(9), 1259-1270.
- Boluyt, N., Rottier, B., & Langendam, M. (2012). Richtlijnen worden transparanter met de GRADE-methode: nieuwe methode maakt overwegingen bij aanbevelingen expliciet. *Ned Tijdschr Geneeskd*, 156(25), A4379.
- Chang, C. C., & Lin, L. C. (2005). Effects of a feeding skills training programme on nursing assistants and dementia patients. *Journal of Clinical Nursing*, 14(10), 1185-1192.
- den Ouden, M., Bleijlevens, M. H. C., Meijers, J. M. M., Zwakhalen, S. M. G., Braun, S. M., Tan, F. E. S., & Hamers, J. P. H. (2015). Daily (In)Activities of Nursing Home Residents in Their Wards: An Observation Study. *Journal of the American Medical Directors Association*, 16(11), 963-968. doi:<https://doi.org/10.1016/j.jamda.2015.05.016>
- Engst, C., Chhokar, R., Robinson, D., Earthy, A., & Yassi, A. (2004). Implementation of a Scheduled Toileting Program in a Long Term Care Facility: Evaluating the Impact on Injury Risk to Caregiving Staff. *AAOHN Journal*, 52(10), 427-435. doi:10.1177/216507990405201005
- Galik, E. M., Resnick, B., Gruber-Baldini, A., Nahm, E. S., Pearson, K., & Pretzer-Aboff, I. (2008). Pilot testing of the restorative care intervention for the cognitively impaired. *J Am Med Dir Assoc*, 9(7), 516-522. doi:10.1016/j.jamda.2008.04.013
- Galik, E. M., Resnick, B., Hammersla, M., & Brightwater, J. (2014). Optimizing function and physical activity among nursing home residents with dementia: testing the impact of function-focused care. *Gerontologist*, 54(6), 930-943. doi:10.1093/geront/gnt108
- Gozalo, P., Prakash, S., Qato, D., Sloane, P., & Mor, V. (2014). Effect of the Bathing Without a Battle Training Intervention on Bathing-Associated Physical and Verbal Outcomes in Nursing Home Residents with Dementia: A Randomized Crossover Diffusion Study. *Journal of the American Geriatrics Society*, 62(5), 797-804. doi:10.1111/jgs.12777
- Grönstedt, H., Grönstedt, H., Frändin, K., Bergland, A., Helbostad, J. L., Granbo, R., . . . Hellström, K. (2013). Effects of Individually Tailored Physical and Daily Activities in Nursing Home Residents on Activities of Daily Living, Physical Performance and Physical Activity Level: A Randomized Controlled Trial. *Gerontology*, 59(3), 220-229. doi:10.1159/000345416
- Hacıhasanoglu, R., Yildirim, A., & Karakurt, P. (2012). Loneliness in elderly individuals, level of dependence in activities of daily living (ADL) and influential factors. *Arch Gerontol Geriatr*, 54(1), 61-66. doi:10.1016/j.archger.2011.03.011
- Hallberg, I. R. (2006). Challenges for future nursing research: providing evidence for health-care practice. *Int J Nurs Stud*, 43(8), 923-927. doi:10.1016/j.ijnurstu.2006.07.017
- He, S., Craig, B. A., Xu, H., Covinsky, K. E., Stallard, E., Thomas, J., 3rd, . . . Sands, L. P. (2015). Unmet Need for ADL Assistance Is Associated With Mortality Among Older Adults With Mild Disability. *The journals of gerontology. Series A, Biological sciences and medical sciences*, 70(9), 1128-1132. doi:10.1093/gerona/glv028
- Helvik, A.-S., Selbæk, G., & Engedal, K. (2013). Functional decline in older adults one year after hospitalization. *Arch Gerontol Geriatr*, 57(3), 305-310. doi:<https://doi.org/10.1016/j.archger.2013.05.008>
- Jackson, D., & Kozłowska, O. (2018). Fundamental care—the quest for evidence. *Journal of Clinical Nursing*, 27(11-12), 2177-2178. doi:10.1111/jocn.14382
- Killey, B., & Watt, E. (2006). The effect of extra walking on the mobility, independence and exercise self-efficacy of elderly hospital in-patients: A pilot study. *Contemporary Nurse*, 22(1), 120-133. doi:10.5172/conu.2006.22.1.120
- Klein, K., Mulkey, M., Bena, J. F., & Albert, N. M. (2005). Clinical and psychological effects of early mobilization in patients treated in a neurologic ICU: a comparative study. *Crit Care Med*, 33(4), 865-873.
- Lin, L. C., Huang, Y. J., Watson, R., Wu, S. C., & Lee, Y. C. (2011). Using a Montessori method to increase eating ability for institutionalised residents with dementia: a crossover design. *Journal of Clinical Nursing*, 20(21), 3092-3101.

- Mickus, M., Wagenaar, D. B., Averill, M., Colenda, C., Gardiner, J., & Luo, Z. (2002). Developing effective bathing strategies for reducing problematic behavior for residents with dementia: The PRIDE approach. *Journal of Mental Health and Aging, 8*, 37-43.
- Myles, P. S., Boney, O., Botti, M., Cyna, A. M., Gan, T. J., Jensen, M. P., . . . Wijeyesundera, D. (2018). Systematic review and consensus definitions for the Standardised Endpoints in Perioperative Medicine (StEP) initiative: patient comfort. *British Journal of Anaesthesia, 120*(4), 705-711. doi:<https://doi.org/10.1016/j.bja.2017.12.037>
- Padula, C. A., Hughes, C., & Baumhover, L. (2009). Impact of a nurse-driven mobility protocol on functional decline in hospitalized older adults. *J Nurs Care Qual, 24*(4), 325-331. doi:10.1097/NCQ.0b013e3181a4f79b
- Richards, D. A., Hilli, A., Pentecost, C., Goodwin, V. A., & Frost, J. (2018). Fundamental nursing care: A systematic review of the evidence on the effect of nursing care interventions for nutrition, elimination, mobility and hygiene. *Journal of Clinical Nursing, 27*(11-12), 2179-2188. doi:<https://doi.org/10.1111/jocn.14150>
- Slaughter, S. E., & Estabrooks, C. A. (2013). Optimizing the mobility of residents with dementia: a pilot study promoting healthcare aide uptake of a simple mobility innovation in diverse nursing home settings. *BMC Geriatrics, 13*(1), 110. doi:10.1186/1471-2318-13-110
- Sloane, P., Hoeffler, B., Mitchell, C., McKenzie, D., Barrick, A., Rader, J., . . . Zink, R. (2004). Effect of person-centered showering and the towel bath on bathing-associated aggression, agitation, and discomfort in nursing home residents with dementia: a randomized, controlled trial. *Journal of the American Geriatrics Society, 52*(11), 1795-1804. Retrieved from <https://onlinelibrary.wiley.com/doi/pdfdirect/10.1111/j.1532-5415.2004.52501.x?download=true>
- Tufanaru, C., Munn, Z., Aromataris, E., Campbell, J., & Hopp, L. (2020). JBI Manual for Evidence Synthesis. In M. Z. E. Aromataris E (Ed.), *JBI Manual for Evidence Synthesis*: JBI Global
- van Dijk, G. C., Dijkstra, A., Dassen, T., & Sanderma, R. (2008). Care of people who are powerless in daily living (PDL care): a theoretical approach. *The Netherlands: Dissertation Rijksuniversiteit Groningen*.
- van Hell-Cromwijk, M., Metzelthin, S. F., Schoonhoven, L., Verstraten, C., Willemieke, K., & de Man van Ginkel, J. M. (2021). Nurses' perceptions of their role with respect to promoting physical activity in adult patients: a systematic review. *J Clin Nurs*. doi:10.1111/jocn.15747
- Verstraten, C. C. J. M. M., Metzelthin, S. F., Schoonhoven, L., Schuurmans, M. J., & de Man-van Ginkel, J. M. (2020). Optimizing patients' functional status during daily nursing care interventions: A systematic review. *Research in Nursing & Health, 43*(5), 478-488. doi:<https://doi.org/10.1002/nur.22063>
- Wells, D. L., Dawson, P., Sidani, S., Craig, D., & Pringle, D. (2000). Special Series-Effects of an Abilities-Focused Program of Morning Care on Residents Who Have Dementia and On Caregivers. *Journal of the American Geriatrics Society, 48*(4), 442-449.
- Zuidema, S., Koopmans, R., & Verhey, F. (2007). Prevalence and Predictors of Neuropsychiatric Symptoms in Cognitively Impaired Nursing Home Patients. *Journal of Geriatric Psychiatry and Neurology, 20*(1), 41-49. doi:10.1177/0891988706292762
- Zwakhalen, S. M. G., Hamers, J. P. H., Metzelthin, S. F., Ettema, R., Heinen, M., de Man-Van Ginkel, J. M., . . . Schuurmans, M. J. (2018). Basic nursing care: The most provided, the least evidence based - A discussion paper. *Journal of Clinical Nursing, 27*(11-12), 2496-2505. doi:10.1111/jocn.14296

Bronnen Uitgangsvraag 4

- Anker-Hansen, C., Skovdahl, K., McCormack, B., & Tønnessen, S. (2018). The third person in the room: The needs of care partners of older people in home care services-A systematic review from a person-centred perspective. *J Clin Nurs, 27*(7-8), e1309-e1326. doi:10.1111/jocn.14205

- de Boer, A., de Klerk, M., Verbeek-Oudijk, D., & Plaisier, I. (2020). *Blijvende bron van zorg - Ontwikkelingen in het geven van informele hulp 2014-2019*. Retrieved from den Haag: <https://backend.mantelzorg.nl/app/uploads/2020/12/Blijvendebtronvanzorg.pdf>
- Dixe, M. d. A. C. R., da Conceição Teixeira, L. F., Areosa, T. J. T. C. C., Frontini, R. C., de Jesus Almeida Peralta, T., & Querido, A. I. F. (2019). Needs and skills of informal caregivers to care for a dependent person: a cross-sectional study. *BMC Geriatrics*, 19(1), 255. doi:10.1186/s12877-019-1274-0
- Hoefman, R. (2015). *The Impact of Caregiving*. (Ph.D. thesis). Erasmus University Rotterdam, Retrieved from <http://hdl.handle.net/1765/78028>
- McCormack, L. A., Treiman, K., Rupert, D., Williams-Piehot, P., Nadler, E., Arora, N. K., . . . Street, R. L., Jr. (2011). Measuring patient-centered communication in cancer care: a literature review and the development of a systematic approach. *Soc Sci Med*, 72(7), 1085-1095. doi:10.1016/j.socscimed.2011.01.020
- Oh, Y. S. (2017). Communications with health professionals and psychological distress in family caregivers to cancer patients: A model based on stress-coping theory. *Appl Nurs Res*, 33, 5-9. doi:10.1016/j.apnr.2016.09.008
- Reeve, B. B., Thissen, D. M., Bann, C. M., Mack, N., Treiman, K., Sanoff, H. K., . . . McCormack, L. A. (2017). Psychometric evaluation and design of patient-centered communication measures for cancer care settings. *Patient Educ Couns*, 100(7), 1322-1328. doi:10.1016/j.pec.2017.02.011
- Treiman, K., McCormack, L., Olmsted, M., Roach, N., Reeve, B. B., Martens, C. E., . . . Sanoff, H. (2017). Engaging Patient Advocates and Other Stakeholders to Design Measures of Patient-Centered Communication in Cancer Care. *Patient*, 10(1), 93-103. doi:10.1007/s40271-016-0188-6
- V&VN. (2020). (CONCEPT) Richtlijn Mantelzorg

Bronnen Uitgangsvraag 5

- Bouwstra, H., Smit, E. B., Wattel, E. M., van der Wouden, J. C., Hertogh, C. M. P. M., Terluin, B., & Terwee, C. B. (2019). Measurement Properties of the Barthel Index in Geriatric Rehabilitation. *Journal of the American Medical Directors Association*, 20(4), 420-425.e421. doi:<https://doi.org/10.1016/j.jamda.2018.09.033>
- Chang, C. C., & Lin, L. C. (2005). Effects of a feeding skills training programme on nursing assistants and dementia patients. *Journal of Clinical Nursing*, 14(10), 1185-1192.
- Clark, N. M., Nelson, B. W., Valerio, M. A., Gong, Z. M., Taylor-Fishwick, J. C., & Fletcher, M. (2009). Consideration of shared decision making in nursing: a review of clinicians' perceptions and interventions. *The open nursing journal*, 3, 65-75. doi:10.2174/1874434600903010065
- Cuperus, N., Mahler, E. A., Vliet Vlieland, T. P., Hoozeboom, T. J., & van den Ende, C. H. (2015). Measurement properties of the Health Assessment Questionnaire Disability Index for generalized osteoarthritis. *Rheumatology (Oxford)*, 54(5), 821-826. doi:10.1093/rheumatology/keu386
- Daniëls, R., ;, Vogelzang, F., den Boer, J., & de Booy, M. (2016). *Gezamenlijke Besluitvorming over doelen en zorgafspraken* Retrieved from https://www.nhg.org/sites/default/files/content/nhg_org/uploads/handreiking_gezamenlijke_besluitvorming_boek_2017_web.pdf
- Davis, R., Ziolkowski, M. K., & Velkamp, A. (2017). Everyday Decision Making in Individuals with Early-Stage Alzheimer's Disease: An Integrative Review of the Literature. *Res Gerontol Nurs*, 10(5), 240-247. doi:10.3928/19404921-20170831-05
- Elwyn, G., Frosch, D., Thomson, R., Joseph-Williams, N., Lloyd, A., Kinnersley, P., . . . Barry, M. (2012). Shared decision making: a model for clinical practice. *J Gen Intern Med*, 27(10), 1361-1367. doi:10.1007/s11606-012-2077-6
- Engst, C., Chhokar, R., Robinson, D., Earthy, A., & Yassi, A. (2004). Implementation of a Scheduled Toileting Program in a Long Term Care Facility: Evaluating the Impact on Injury Risk to Caregiving Staff. *AAOHN Journal*, 52(10), 427-435. doi:10.1177/216507990405201005

- Friesen-Storms, J. H., Bours, G. J., van der Weijden, T., & Beurskens, A. J. (2015). Shared decision making in chronic care in the context of evidence based practice in nursing. *Int J Nurs Stud*, 52(1), 393-402. doi:10.1016/j.ijnurstu.2014.06.012
- Galik, E. M., Resnick, B., Gruber-Baldini, A., Nahm, E. S., Pearson, K., & Pretzer-Abhoff, I. (2008). Pilot testing of the restorative care intervention for the cognitively impaired. *J Am Med Dir Assoc*, 9(7), 516-522. doi:10.1016/j.jamda.2008.04.013
- Galik, E. M., Resnick, B., Hammersla, M., & Brightwater, J. (2014). Optimizing function and physical activity among nursing home residents with dementia: testing the impact of function-focused care. *Gerontologist*, 54(6), 930-943. doi:10.1093/geront/gnt108
- Gozalo, P., Prakash, S., Qato, D., Sloane, P., & Mor, V. (2014). Effect of the Bathing Without a Battle Training Intervention on Bathing-Associated Physical and Verbal Outcomes in Nursing Home Residents with Dementia: A Randomized Crossover Diffusion Study. *J Am Geriatr Soc*, 62(5), 797-804. doi:10.1111/jgs.12777
- Killey, B., & Watt, E. (2006). The effect of extra walking on the mobility, independence and exercise self-efficacy of elderly hospital in-patients: A pilot study. *Contemporary Nurse*, 22(1), 120-133. doi:10.5172/conu.2006.22.1.120
- Klein, K., Mulkey, M., Bena, J. F., & Albert, N. M. (2005). Clinical and psychological effects of early mobilization in patients treated in a neurologic ICU: a comparative study. *Crit Care Med*, 43(4), 865-873.
- Laan, W., Zuithoff, N. P., Drubbel, I., Bleijenbergh, N., Numans, M. E., de Wit, N. J., & Schuurmans, M. J. (2014). Validity and reliability of the Katz-15 scale to measure unfavorable health outcomes in community-dwelling older people. *J Nutr Health Aging*, 18(9), 848-854. doi:10.1007/s12603-014-0558-5
- Lin, L. C., Huang, Y. J., Watson, R., Wu, S. C., & Lee, Y. C. (2011). Using a Montessori method to increase eating ability for institutionalised residents with dementia: a crossover design. *Journal of Clinical Nursing*, 20(21), 3092-3101.
- Metzelthin, S. F., Daniels, R., van Rossum, E., de Witte, L. P., van den Heuvel, W. J. A., & Kempen, G. I. J. M. (2011). Psychometrische eigenschappen van drie screeningsinstrumenten voor kwetsbaarheid bij thuiswonende ouderen. *Tijdschrift voor Gerontologie en Geriatrie*, 42(3), 120-130. doi:10.1007/s12439-011-0022-5
- Michie, S., Richardson, M., Johnston, M., Abraham, C., Francis, J., Hardeman, W., . . . Wood, C. E. (2013). The behavior change technique taxonomy (v1) of 93 hierarchically clustered techniques: building an international consensus for the reporting of behavior change interventions. *Annals of behavioral medicine*, 46(1), 81-95.
- Mickus, M., Wagenaar, D. B., Averill, M., Colenda, C., Gardiner, J., & Luo, Z. (2002). Developing effective bathing strategies for reducing problematic behavior for residents with dementia: The PRIDE approach. *Journal of Mental Health and Aging*, 8, 37-43.
- Mokkink, L. B., Prinsen, C., Patrick, D. L., Alonso, J., Bouter, L. M., De Vet, H., . . . Mokkink, L. (2018). COSMIN methodology for systematic reviews of patient-reported outcome measures (PROMs). *User manual*, 78(1).
- Oude Voshaar, M. A. H., ten Klooster, P. M., Taal, E., & van de Laar, M. A. F. J. (2011). Measurement properties of physical function scales validated for use in patients with rheumatoid arthritis: A systematic review of the literature. *Health and Quality of Life Outcomes*, 9(1), 99. doi:10.1186/1477-7525-9-99
- Padula, C. A., Hughes, C., & Baumhover, L. (2009). Impact of a nurse-driven mobility protocol on functional decline in hospitalized older adults. *J Nurs Care Qual*, 24(4), 325-331. doi:10.1097/NCQ.0b013e3181a4f79b
- Post, M. W., Van Asbeck, F. W. A., Van Dijk, A. J., & Schrijvers, A. J. P. (1995). Nederlandse interviewversie van de Barthel-index onderzocht bij dwarslaesiepatiënten. *Nederlands tijdschrift voor geneeskunde*, 139, 1376-1376.

- Post, M. W., van de Port, I. G., Kap, B., & Berdenis van Berlekom, S. H. (2009). Development and validation of the Utrecht Scale for Evaluation of Clinical Rehabilitation (USER). *Clin Rehabil*, 23(10), 909-917. doi:10.1177/0269215509341524
- Post, M. W., Visser-Meily, J. M., & Gispén, L. S. (2002). Measuring nursing needs of stroke patients in clinical rehabilitation: a comparison of validity and sensitivity to change between the Northwick Park Dependency Score and the Barthel Index. *Clin Rehabil*, 16(2), 182-189. doi:10.1191/0269215502cr474oa
- Post, M. W., Willems, M., van de Port, I. G., van Berlekom, S. H., & de Jong, L. K. (2019). Handleiding USER.
- Reijneveld, S. A., Spijker, J., & Dijkshoorn, H. (2007). Katz' ADL index assessed functional performance of Turkish, Moroccan, and Dutch elderly. *J Clin Epidemiol*, 60(4), 382-388. doi:10.1016/j.jclinepi.2006.02.022
- Slaughter, S. E., & Estabrooks, C. A. (2013). Optimizing the mobility of residents with dementia: a pilot study promoting healthcare aide uptake of a simple mobility innovation in diverse nursing home settings. *BMC Geriatrics*, 13(1), 110. doi:10.1186/1471-2318-13-110
- Sloane, P., Hoeffler, B., Mitchell, C., McKenzie, D., Barrick, A., Rader, J., . . . Zink, R. (2004). Effect of person-centered showering and the towel bath on bathing-associated aggression, agitation, and discomfort in nursing home residents with dementia: a randomized, controlled trial. *J Am Geriatr Soc*, 52(11), 1795-1804. Retrieved from <https://onlinelibrary.wiley.com/doi/pdfdirect/10.1111/j.1532-5415.2004.52501.x?download=true>
- Suurmeijer, T. P., Doeglas, D. M., Moum, T., Briançon, S., Krol, B., Sanderman, R., . . . van den Heuvel, W. J. (1994). The Groningen Activity Restriction Scale for measuring disability: its utility in international comparisons. *American journal of public health*, 84(8), 1270-1273. doi:10.2105/ajph.84.8.1270
- Swinkels, R., Dijkstra, P. U., & Bouter, L. M. (2005). Reliability, validity and responsiveness of instruments to assess disabilities in personal care in patients with rheumatic disorders. A systematic review. *Clinical and experimental rheumatology*, 23(1), 71-79.
- Thiessen, J., Stijn, A. H. J. M., Fengler, R. K. B., Post, M. W., & Visser-Meily, J. M. (2013). Gebruik USER in het verpleeghuis - Bruikbaarheid van de USER versus de barthelindex *Tijdschrift voor Ouderengeneeskunde* Retrieved from <https://www.kcrutrecht.nl/wp-content/uploads/2018/09/User-in-verpleeghuis-tijdschr-v-ouderengen-2013.pdf>
- Tobiano, G., Marshall, A., Bucknall, T., & Chaboyer, W. (2015). Patient participation in nursing care on medical wards: An integrative review. *Int J Nurs Stud*, 52(6), 1107-1120. doi:10.1016/j.ijnurstu.2015.02.010
- Truglio-Londrigan, M., & Slyer, J. T. (2018). Shared Decision-Making for Nursing Practice: An Integrative Review. *The open nursing journal*, 12, 1-14. doi:10.2174/1874434601812010001
- van Halem, N., & Groot, S. (2016). Risicosignalering en het zorgproces. *Bijzijn XL*, 9(4), 27-34. doi:10.1007/s12632-016-0036-x
- Wells, D. L., Dawson, P., Sidani, S., Craig, D., & Pringle, D. (2000). Special Series-Effects of an Abilities-Focused Program of Morning Care on Residents Who Have Dementia and On Caregivers. *J Am Geriatr Soc*, 48(4), 442-449.
- Zorg voor Beter Kennisplein. (2015). Verkorte Checklist Veilige Zorg. Retrieved from https://www.zorgvoorbeter.nl/docs/PVZ/vindplaats/verbeteren%20doe%20je%20zo/Verkorte_cklist_Veilige_Zorg_Risicosignalering.pdf